

AC INTERNATIONAL

Pressure Filter for Sandwich Stacking DFZ up to 80 l/min, up to 315 bar





1. TECHNICAL SPECIFICATIONS

1.1 FILTER HOUSING Construction

The filter housings are designed in accordance with international regulations. They consist of a filter head and a screw-in filter bowl. Standard equipment:

- Service access on the right
- Without clogging indicator connection

1.2 FILTER ELEMENTS

HYDAC filter elements are validated monitored according to the following standards:

- ISO 2941
- ISO 2942
- ISO 2943
- ISO 3724 ● ISO 3968
- ISO 11170
- ISO 16889

Filter elements are available with the following pressure stability values: Optimicron® (ON): Betamicron® (BH4HC): 20 bar 210 bar

Optimicron® Pulse (ON/PS): 20 bar Optimicron® Pulse (OH/PS): 210 bar Metal fibre (V): 210 bar

and their quality is constantly

Nominal pressure	315 bar
Fatigue strength	At nominal pressure 10 ⁶ cycles from 0 to nominal pressure
Temperature range	-30 °C to +100 °C (-30 °C to -10 °C: p _{max} = 157.5 bar)
Material of filter head	Steel
Material of filter bowl	Steel
Type of clogging indicator	VD (differential pressure measurement up to 420 bar operating pressure)
Pressure setting of the clogging indicator	8 bar (others on request)

1.4 SEALS

NBR (=Perbunan)

1.5 INSTALLATION

Pressure filter for sandwich stacking

1.6 SPECIAL MODELS AND **ACCESSORIES**

1.3 FILTER SPECIFICATIONS

Port for clogging indicator

1.7 SPARE PARTS


See Original Spare Parts List

1.8 CERTIFICATES AND APPROVALS on request


1.9 COMPATIBILITY WITH **HYDRAULIC FLUIDS ISO 2943**

- Hydraulic oils H to HLPD DIN 51524
- Lubrication oils DIN 51517, API, ACEA, DIN 51515, ISO 6743
- Compressor oils DIN 51506
- Biodegradable operating fluids VDMA 24568 HETG, HEES, HEPG
- Fire-resistant fluids HFA, HFB, HFC and HFD
- Operating fluids with high water content (>50% water content) on request

Symbol for hydraulic systems **DFZ 30**








E 7.552.13/07.15







3. FILTER CALCULATION / SIZING

The total pressure drop of a filter at a certain flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:


$$\begin{array}{lll} \Delta p_{\text{total}} &= \Delta p_{\text{housing}} + \Delta p_{\text{element}} \\ \Delta p_{\text{housing}} &= (\text{see Point 3.1}) \\ \Delta p_{\text{element}} &= Q \bullet \underbrace{SK^*}_{1000} \bullet \underbrace{\text{viscosity}}_{30} \\ & (\text{*see Point 3.2}) \end{array}$$


For ease of calculation, our Filter Sizing Program is available on request free of charge.

NEW: Sizing online at <u>www.hydac.com</u>

3.1 Δp -Q HOUSING CURVES BASED ON ISO 3968

The housing curves apply to mineral oil with a density of 0.86 kg/dm³ and a kinematic viscosity of 30 mm²/s. In this case, the differential pressure changes proportionally to the density.





3.2 GRADIENT COEFFICIENTS (SK) FOR FILTER ELEMENTS

The gradient coefficients in mbar/(l/min) apply to mineral oils with a kinematic viscosity of 30 mm²/s. The pressure drop changes proportionally to the change in viscosity.

DFZ	ON					
	1 µm	3 µm	5 μm	10 µm	15 µm	20 µm
30	77.8	63.9	43.3	22.8	14.0	11.3
30 60	53.5	26.0	18.3	12.1	9.78	6.32
110	25.8	13.4	9.61	6.06	4.63	2.99

DFZ	ON/PS				OH/PS	OH/PS			
	3 µm	5 µm	10 µm	20 µm	3 µm	5 µm	10 µm	20 µm	
30	63.90	43.30	25.08	11.30	87.54	59.32	34.36	15.48	
30 60	28.90	20.40	14.52	7.90	39.59	27.95	19.89	10.82	
110	14.90	10.70	7.26	3.70	20.41	14.66	9.95	5.07	


DFZ	V				ВН4НС	ВН4НС		
	3 µm	5 µm	10 µm	20 µm	3 µm	5 μm	10 µm	20 µm
30	18.4	13.5	7.5	3.6	91.2	50.7	36.3	19.0
60	16.0	9.3	5.4	3.3	58.6	32.6	18.1	12.2
110	8.2	5.6	3.3	2.2	25.4	14.9	8.9	5.6


E 7.552.13/07.15




4. DIMENSIONS

DFZ 30 shown with bowl access on "B" side (standard model)





DFZ 60/110 shown with bowl access on "B" side (standard model)



DFZ	Weight incl. elemen [kg]	Volume of t pressure chamber [l]
30	2.4	0.13
60	5.9	0.20
110	6.8	0.33

NOTE

The information in this brochure relates to the operating conditions and applications described.

For applications or operating conditions not described, please contact the relevant technical department.

Subject to technical modifications.

4 HYDAC