


YDAC INTERNATIONAL



Diaphragm accumulators

1. DESCRIPTION

1.1. FUNCTION

While fluids are practically incompressible, this does not apply to gases. Hydraulic accumulators use these basic laws of physics to store hydraulic energy. Nitrogen is normally used as the compressible medium.

The various types of hydraulic accumulator are categorised on the basis of the separation element that keeps the gas section separate from the fluid section in the pressure vessel. In the case of diaphragm accumulators, this is an elastomer diaphragm or a full-PTFE diaphragm. Set into the base of the diaphragm is a valve plate. This shuts off the hydraulic outlet when the accumulator is completely empty and thus prevents damage to the diaphragm.

The fluid side of the diaphragm accumulator is connected to the hydraulic circuit so that the diaphragm accumulator draws in fluid when the system pressure increases and the trapped gas is compressed. When the system pressure drops, the compressed gas expands and forces the stored fluid back out into the hydraulic circuit.

Diaphragm accumulators can also be used as dampers, for example - see catalogue

Hydraulic dampers No. 3.701





1.2. DESIGN


HYDAC weld type diaphragm accumulators consist of the following key individual components:

- Welded pressure vessel, rechargeable on the gas side or, alternatively, completely sealed, valve body
- Diaphragm to separate the fluid and gas sections
- Valve plate in diaphragm base



HYDAC screw type diaphragm accumulators consist of the following key individual components:

- Forged upper section with gas charging connection
- Forged lower section with valve body
- Exchangeable diaphragm to separate the gas section and fluid
- Valve plate in diaphragm base
- Lock nut to hold the upper and lower sections of the accumulator together





2. GENERAL INFORMATION

2.1. MATERIALS, CORROSION PROTECTION

2.1.1 Accumulator shell

As standard, the upper and lower sections are made from carbon steel.

For use with chemically aggressive fluids the hydraulic accumulator can be supplied with corrosion protection, such as plastic coating or a galvanic or chemical surface protection. If this is insufficient, then almost all types can be supplied in stainless steel.

2.1.2 Diaphragm

The diaphragm material must be selected in accordance with the particular operating medium or operating temperature, see section 2.1.3.

If discharge conditions are unfavourable (high p_2/p_0 pressure ratio, rapid discharge speed), the gas may cool to below the permitted temperature. This can cause cold cracking. The gas temperature can be calculated using the HYDAC Accumulator Simulation Program **ASP**.

2.1.3 Maximum temperature range of elastomer materials

The permitted working temperature of a diaphragm accumulator is dependent on the application of the metal materials and the diaphragm. The operating medium must also be taken into account.

The following table shows the main elastomer materials with their maximum possible temperature ranges with examples of operating fluids.

Materia	als	Material	Max. possible	Possible operating fluids, others on request							
		code 1)	temperature range 2)	Resistant to	Not resistant to						
NBR	Acrylonitrile butadiene rubber	2	-15 °C + 80 °C	Mineral oil (HL, HLP) – Flame-retardant fluids from the groups HFA, HFB, HFC – Synthetic esters (HEES) – Water	Aromatic hydrocarbons – Chlorinated hydrocarbons (HFD-S) – Amines and ketones – Hydraulic fluids from the group						
		5	-50 °C + 50 °C	- Sea water	HFD-R – Fuels						
ECO	Ethylene oxide epichlorohydrin rubber	3	-40 °C +120 °C	– Mineral oil (HL, HLP) – Flame-retardant fluids from the HFB group – Synthetic esters (HEES) – Water – Sea water	Aromatic hydrocarbons – Chlorinated hydrocarbons (HFD-S) – Amines and ketones – Hydraulic fluids from the group HFD-R – Flame-retardant fluids from the groups HFA and HFC – Fuels						
IIR	Butyl rubber	4	-50 °C +120 °C	Hydraulic fluids from the group HFD-R – Flame-retardant fluids from the group HFC – Water	Mineral oils and greases Synthetic esters (HEES) Aliphatic, chlorinated and aromatic hydrocarbons – Fuels						
FKM	Fluoroelastomer rubber	6	-10 °C +150 °C	Mineral oil (HL, HLP) – Hydraulic fluids from the group HFD – Synthetic esters (HEES) – Fuels – Aromatic hydrocarbons – Inorganic acids	Amines and ketonesAmmonia – Skydrol and HyJet IV – Steam						

¹⁾ The material code (MC) is described in more detail in the model code, see section 3.

²⁾ The specified temperature range relates to the particular elastomer material, not to the operating range of the hydraulic accumulator, see section 4.1.1



2.2. INSTALLATION POSITION

Any position can be chosen. However, if there is a risk of contamination collecting, a vertical position is preferable (fluid port at the bottom).

2.3. TYPE OF INSTALLATION

Diaphragm accumulators up to a nominal volume of 2 I can be screwed directly inline. Where strong vibrations are expected, the hydraulic accumulator must be secured to prevent it working loose

For strong vibrations and volumes above 2 litre, we recommend HYDAC mounting elements – see catalogue section:

 Mounting elements for hydraulic accumulators No. 3.502

2.4. CHARGING GAS

Charging gas: NitrogenSpecification: min. Class 2.8

If other gases are to be used or if these specifications are deviated from, please contact HYDAC.

2.5. HYDRAULIC FLUID

Hydraulic accumulators must only be operated with operating fluids with a minimum cleanliness class of:

- NAS 1638 Class 6 or
- ISO 4406 Class 17/15/12

2.6. CERTIFICATES

Hydraulic accumulators that are installed outside of Germany are supplied with the relevant test certificate documentation. The country of installation must be stated at the time of ordering. HYDAC pressure vessels can be supplied with almost any approval classification. The permitted operating pressure may differ from the nominal pressure.

The following table provides some examples of the code in the model code:

Country	Certificate code (CC)
EU member states	U
Australia	F 1)
Belarus	A6
Canada	S1 ₁₎
China	A9
Great Britain	Y
Hong Kong	A9
Iceland	U
Japan	P
Korea (Republic of)	A11
New Zealand	Т
Norway	U
Russia	A6
South Africa	S2
Switzerland	U
Turkey	U
Ukraine	A10
USA	S

¹⁾ Registration required in the individual territories or provinces.

Others on request

2.7. FURTHER INFORMATION

 Operating instructions for diaphragm accumulators No. 3.100.BA

The operating instructions must be observed!

All work on HYDAC diaphragm accumulators must only be carried out by suitably trained staff. Incorrect installation or handling can lead to serious accidents.

 Assembly and repair instructions for diaphragm accumulators No. 3.100.M

For repairs to be performed on hydraulic accumulators, we provide corresponding assembly and repair instructions.

Further information such as accumulator sizing, safety information and extracts from the acceptance specifications can be found in our overview catalogue section:

 HYDAC Accumulator Technology No. 3.000

This document and others are available from our Download Center at www.hydac.com.



	SBO210 - 2 E1 / 112 U - 210 AK 050
eries	
ominal volume [I]	
ype /eld type (diaphragm not exchangeable)	
= rechargeable M28x1.5	
= sealed gas connection, with gas pre-charge as requested 1) = rechargeable,, gas valve M16x1.5 / M14x1.5	
crew type (exchangeable diaphragm)	
= rechargeable M28x1.5	
= gas valve M16x1.5 / M14x1.5	
aterial code (MC)	
ependent on operating medium tandard design = 112 for mineral oil	
thers on request	
luid port = carbon steel 3	
stainless steel 2)	
= carbon steel with protective coating 3) = low-temperature steel	
= other materials	
coumulator chall	
ccumulator shell = carbon steel	
= carbon steel with protective coating 3) 4) = stainless steel 2)	
= low-temperature steel	
= other materials or material combinations	
iaphragm	
= NBR 5)3 ECO	
= IIR	
= NBR 5) = FKM	
= other materials (e.g. PTFE, EPDM)	
ertification code	
= European Pressure Equipment Directive (PED)	
or others, see section 2.6.	
ermitted operating pressure [bar]	
luid port form tandard connection = AK or AB	
.g. form AK = G 3/4 for	
BO210-2, see section 4.2.	
re-charge pressure p ₀ [bar] at 20 °C, must be stated clearly, if required! ₁	
Delistas Ed as EO design subsequently a standard	
Only for E1 or E2 design, when ordered as standard Dependent on type and pressure rating	
Only for screw type design	

HYDAC | 85



4. STANDARD ITEMS

4.1. TECHNICAL DATA

The diaphragm accumulators and spare parts described below are manufactured in carbon steel or stainless steel with an NBR diaphragm (MC = 112 / 342).

The table provides the most important data and dimensions for the following series:

SBO50/100/140/160/180/210/250/300/330/400/450/500/750

The data provided refers to diaphragm accumulators in accordance with PED (CC = U).

Designs that differ from the standard types described below can be requested from HYDAC.

4.1.1 Permitted operating temperature

As standard, a diaphragm accumulator can be operated in the following temperature range:

-10 °C ... +80 °C

Other operating temperatures on request.

4.1.2 Permitted operating pressure

The permitted operating pressure may differ from the nominal pressure in the case of other certifications. The tables in section 4.2. show the permitted operating pressure in accordance with the European Pressure Equipment Directive.

4.1.3 Nominal volume

HYDAC diaphragm accumulators are available with set nominal volumes, as described in the tables in section 4.2.

4.1.4 Effective gas volume

The effective gas volume corresponds to the nominal volume of the diaphragm accumulator.

4.1.5 Effective volume

Volume of fluid which is available between the operating pressures p2 and p1.

4.1.6 Maximum flow rate of the operating fluid

In order to achieve the max. flow rate given in the tables, a residual fluid volume of approx. 10 % of the effective gas volume must remain in the accumulator.

The maximum fluid flow rate was determined under specific conditions and is not applicable in all operating conditions.

4.1.7 Limits for gas pre-charge pressure

 $p_0 \le 0.9 \bullet p_1$

with the permitted pressure ratio specified in the tables in section 4.2. (= ratio of max. operating pressure p_2 to gas charging pressure p_0).

The specified values are maximum values and must not be considered as referring to a permanent load. The sustainable pressure ratio is affected by geometry, temperature, medium, flow rate and gas losses resulting from physical characteristics.

For diaphragm accumulators with full-PTFE diaphragm, the following applies: $p_{0tmax} \le 200$ bar


For more information, see catalogue section:

 HYDAC Accumulator Technology No. 3.000




4.2. TABLES AND DRAWINGS

4.2.1 Screw type– exchangeable diaphragm –




Type A3



Nom. vol.	Perm. press. ratio		Series Perm. oper. pressure [bar]										Weight	A	В	ØD	ØL	М	N	0	ØP	R		Fluid port			
			Carbon	Stainless	1											S		ØG	K								
[I]	p ₂ : p ₀		steel	steel	[kg]	[mm]	mm] [n	իm] [m	m] [mm] [mm]			[mm] [mm] [l/	min] IS	O 228 [mi	n]	[mm]	AF								
0.1	10:1	500	500	_	1.9	110	30	95	_	5335		56	-		95 G	1/2 95	14	_	36								
	10:1	500	500	_	3.9	129	20	115	92	56																	
0.25		300	-	350	4.9	20	125	25		60		_	_	G 1/2		14	_	36									
		750 –		750	9	136	11	153	114	57.5	63	M6	140	12				27									
0.6	10:1	450	450	250	5.7	170	19	140 11	5	68	57	-	-	-	95 G	1/2	14	34	41								
1.3	10:1	400	400	-	11.2	212	28	199 10	0	97	65	M8	180	10	150	G 3/4	16	44	50								
2	10:1	250	250	180	11.4	227 1	7	201	168	101	64	M8	188	10	150	G 3/4	16	44	50								
2.8	10:1	400	400	-	22	257	30	252	207	106	80	M8	230	10	150	G 3/4	16	44	50								
4	10:1	400	400	_	34	284	30	287	236	127.5	90	M8	265	10	150	G 3/4	16	44	50								

¹⁾ Max. flow rate of operating fluid





EN 3.100.30/05.24

88 HYDAC




Nom. vol. 1)	Perm. press.	Series	Certific U	ate code	R	ØD	Weight	Q 2)	Standard fluid port										Fig			
	ratio		Perm. o	oper. re [bar]					Form AK				Form AE	3								
[1]	p ₂ : p ₀		Carbon steel	Stainless steel	[mm]	[mm]	[kg]	[l/min]	F ISO 228	ØG [mm]	L [mm]	B1 [mm]	Hex. AF	F ISO 228	H DIN 13	L [mm]	B2 [mm]	Hex. AF				
0.075	8:1	250	250	-	91	64	0.7	38	G 1/2	_	14	21	30						1			
0.16	8:1	210	210	180	103	74	0.8	38	G 1/2		14	21	30]					1			
0.10	0.1	300	300	_	108	78	1.1	30	0 1/2	_	14	21	30		Not ava	oldoblo						
		100	100	_	116	90	0.9]	NOL ava	allable						
0.32	8:1	210	210	160	110	93	1.3	95	G 1/2	-	14	21	30						1			
		300	300	-	120	96	1.8]											1			
0.5	8:1	160	160	_	130	102	1.3	95	G 1/2		14	21	30	G 1/2	M33x1.5	14	37	41				
0.5	0:1	210	210	_	133	105	1.7	95	G 1/2	_	14	21	30	G 1/2	IVI33X1.5	14	31	41				
0.0	0.4	330	330	-	151	115	3.3	95	0.4/0	34	110	21	41	0.4/0	1400-4 5	14	37	41				
0.6	8:1	350	350	_	130	121	3.5		G 1/2	34	14		50	G 1/2	M33x1.5		37	50	1			
0.7	8:1	100	100	_	151	106	1.8	95	G 1/2	34	14	21	41	G 1/2	M33x1.5	14	37	41				
		140	140	_	142	116	1.8												\top			
		210	210	140	147	121	2.8	1			١	21	l	G 1/2 M33x1.5	14	37	١					
	8:1	250	250	_	152	126	3.6	95	G 1/2	34	14		41				41	1				
		330	330	22/	140	126	4	1				26	1			15	42					
	8:1	200	200	_	159	136	3.6															
1		250	250	_	192		4.4	95	G 1/2	34	14	21	41	G 1/2 M33x1.5	M33x1.5	14	37	41				
	4:1	330	126					26				15	42									
		140	140		173	145	3.9										-	Т				
	-	210	210		178	150	5.4		G 1/2	34	14	21			M33x1.5	14	37					
1.4	8:1	250	250	_	185	153	5.9	95					41	G 1/2		15		41				
		330	330	_	172	155	7.6	1				33	1				42	1 H				
	120000	100	100	100	190	160	4						1				-					
	8:1	210	210	_	198	167	6.6					28					33					
2	4:1	250	250	_	232	153	7.4	150	G 3/4	44	16		46	G 3/4	M45x1.5	16		46				
	8:1	330	330	_	181	172	9.2	1				43	1				42					
		210	210	_	250	167	8.2										200					
	4:1	250	250	_	250	170	9.5		27272			28		2012111			33	10000				
2.8					237	70000	2000	150	G 3/4	44	16	43	46	G 3/4	M45x1.5	16	000	46				
	6:1	330	330	_	231	172	11					44	1				42					
585	Sec. 10	250	210	_	306	170	11.2	700000	1200200	2005	929	28	0.91	0204030003		2020	33	2020				
	4:1	330	330		274	172	13.8	150	G 3/4	44	16	44	46	G 3/4	M45x1.5	16	42	46				
3.5								.00						7//		10	- O, .					
3.5	4:1	50	330	50	294	158	5	150	G 3/4	44	16	44	46	G 3/4	M45x1.5	16	33	46				

¹⁾ Max. flow rate of operating fluid

4.3. SPARE PARTS

4.3.1 Weld type

exchangeable diaphragm –



Description			Qty	<u>. Item</u>							
Spare parts set for ga consisting of:	is side										
Locking screw	Locking screw										
Protective cap	Protective cap										
Seal ring			20	3							
Spare parts kit for ela consisting of:	stomer dia	aphragm									
Locking screw		1	1								
Seal ring			1	3							
Elastomer diaphrag	jm		1	4a							
Support ring			1	5a							
Spare part kit for full- consisting of:	PTFE diap	hragm									
Locking screw			1								
Seal ring			1								
Full-PTFE diaphrag	jm		1								
O-ring			1 5b								
Nominal Part no.		,									
[I] NBR	ECO	FKM	IIR	PTFE							
Spare parts set for g	as side										
0.1 - 4 3262845	-	-	-	-							
Spare parts kit											
0.1 3042668	3182526	-	-	-							
0.25 3042709	3042712	3042714	3042713	3504798							
	1			I							
0.6 3042710	3042715	3042717	3042716	3550388							


3042711 | 3042719 | 3042721 3042720

 3042700
 3042701
 3042704
 3042702

 3042705
 3042706
 3042708
 3042707

4.3.2 Weld type

non-exchangeable diaphragm –



Description	Qty		Item								
Spare parts consisting of		s side									
Locking	20		1								
Protectiv		20		2							
Seal ring		20		3							
Nominal	Nominal Part no.										
volume	NBR	ECO	FKM	IIR		PTFE					
Spare parts set for gas side											
0.075 - 4 3	262845 -		-	-		-					

5. NOTE

The information in this brochure relates to the operating 1 conditions and fields of application described. For applications 3 and/or operating conditions not described, please contact the 4b relevant technical department.

Subject to technical modifications.

2

2.8

3464205