

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 319725

Product description: DF BH/HC 110 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	110
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1252374

Product description: DF BH/HC 110 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	110
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 317572

Product description: DF BH/HC 110 SET 5 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	5 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	110
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1266190

Product description: DF BH/HC 140 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	140
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1252375

Product description: DF BH/HC 140 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	140
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1265826

Product description: DF BH/HC 160 SET 5 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	5 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	160
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1314150

Product description: DF BH/HC 240 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	240
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1277099

Product description: DF BH/HC 240 SET 10 W 1.0 /-V

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Viton
Size DF/MDF/LF...SET	240
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1265423

Product description: DF BH/HC 240 SET 5 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	5 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	240
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 300099

Product description: DF BH/HC 30 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	30
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1262626

Product description: DF BH/HC 330 SET 5 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	5 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	330
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1272234

Product description: DF BH/HC 60 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	60
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1

SET versions

Part no.: 1314654

Product description: DF BH/HC 60 SET 3 W 1.0 /-V-T150

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	3 µm
Pressure	400,0 bar
Product responsible	Filtration Technology
Sealing material	Viton
Size DF/MDF/LF...SET	60
Standard	without
Weitere Merkmale Filter	up to 150°C

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1314068

Product description: DF BH/HC 60 SET 5 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	5 µm
Pressure	0,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	60
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1262627

Product description: DF BH/HC 660 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	660
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 3160905

Product description: DF BH/HC 660 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	660
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1278357

Product description: DF BH/HC 660 SET 3 W 2.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	3 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	660
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1277100

Product description: DF BH/HC 660 SET 5 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	5 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	660
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1252313

Product description: DF BN/HC 110 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	110
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1262416

Product description: DF BN/HC 110 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	110
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1291425

Product description: DF BN/HC 1500 SET 10 W 2.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	1500
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1296311

Product description: DF BN/HC 1500 SET 20 W 2.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	1500
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1280938

Product description: DF BN/HC 160 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	160
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1281435

Product description: DF BN/HC 160 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	160
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1277676

Product description: DF BN/HC 240 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	240
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1272450

Product description: DF BN/HC 240 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	240
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1278372

Product description: DF BN/HC 280 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	280
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1307591

Product description: DF BN/HC 280 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	280
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1264416

Product description: DF BN/HC 30 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	30
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1310642

Product description: DF BN/HC 30 SET 10 W 1.0 /-SO184

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	30
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1263410

Product description: DF BN/HC 30 SET 20 W 1.0 /-V

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Viton
Size DF/MDF/LF...SET	30
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1267117

Product description: DF BN/HC 60 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	60
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1281434

Product description: DF BN/HC 60 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	60
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1286723

Product description: DF BN/HC 60 SET 5 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	5 µm
Pressure	420,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	60
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 306272

Product description: LF BH/HC 160 SET 3 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron high press.
Filtration rating	3 µm
Pressure	100,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	160
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1261883

Product description: LF BN/HC 240 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	100,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	240
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1251645

Product description: LF BN/HC 30 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	100,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	30
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1272196

Product description: LF BN/HC 60 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	100,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	60
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 317503

Product description: LF BN/HC 60 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	100,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	60
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1252469

Product description: MDF BN/HC 160 SET 5 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	5 µm
Pressure	280,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	160
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1280257

Product description: MDF BN/HC 30 SET 20 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	20 µm
Pressure	280,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	30
Standard	without
Weitere Merkmale Filter	no further features

HYDAC INTERNATIONAL

Seite 1



SET versions

Part no.: 1276195

Product description: MDF BN/HC 60 SET 10 W 1.0

Characteristic	Value / Characteristic / Information
By-pass	no by-pass
Change-over	without change-over
Clogging indicator	No connection option
Connection size	no connection
Connection type	without connection
Filter material	Betamicron low press.
Filtration rating	10 µm
Pressure	280,0 bar
Product responsible	Filtration Technology
Sealing material	Perbunan
Size DF/MDF/LF...SET	60
Standard	without
Weitere Merkmale Filter	no further features