

Electric Drives and Controls

Hydraulics

Linear Motion and Assembly Technologies

Pneumatics

Service

Rexroth Bosch Group

Connection adapter

RE 30105/06.05 Replaces: 08.03

1/4

Type VT 10812

Series 2X




Table of contents

Contents

Features

Ordering code

Unit dimensions

Page V

Features

VT 10812 connection adapaters are used as connecting element between Euro-racks and electronic cards in Euro-format.

VT 10812-2X/32D connection adapters consist of:

2 and 3

- 32-pin female multi-point connector and

- 32-pin terminal strip (both a/c assigned; form D)

VT 10812-2X/48F connection adapters consist of:

- 48-pin female multi-point connector and

- 48-in terminal strip (b/d/z assigned; form F)

VT 10812-2X/64G connection adapters consist of:


- 64-pin female multi-point connector and
- 64-pin terminal strip (f/d/b/z assigned; form G)



2/4 Bosch Rexroth AG | Hydraulics


VT 10812 | RE 30105/06.05


Ordering code



Unit dimensions (dimensions in mm)

Adapter, 32-pin, form D








RE 30105/06.05 | VT 10812


Hydraulics | Bosch Rexroth AG

3/4

Unit dimensions (dimensions in mm)

Adapter, 48-pin, form F





Adapter, 64-pin, form G

