

Adaptor plates

Porting pattern to DIN 24340 form A and ISO 4401

RE 48045/06.06
Replaces: 09.05

1/12

Type HSE

Nominal size 4 to 32

Overview of contents


Contents	Page
Features	1
Adaptor plate explanations	2
Components and associated porting pattern types	3 and 4
Porting pattern types:	
• Porting pattern type 04R	5
• Porting pattern type 05A and 05G	5
• Porting pattern type 06A and 08A	6
• Porting pattern types 10B and 10C	7
• Porting pattern types 10F, 10G and 10X	8
• Porting pattern types 16B and 16G	9
• Porting pattern types 20D and 20E	9 and 10
• Porting pattern type 22B	10
• Porting pattern type 27B	10
• Porting pattern types 30D and 30E	11
• Porting pattern type 32B	11
Seal kits for the adaptor plates (NBR)	12

Features

- Sandwich plate design
- Change of function via adaption onto another component is possible
- Makes possible the replacement of phased-out components with replacement units
- Performance matching by changing the nominal size
- Maximum operating pressure: 315 bar
Exception:
 - Porting pattern types 04R, 06C, 08A and 10C: 630 bar

Adaptor plate explanations

Type code explanation for the type HSE... adaptor plates



1	Nominal size – manifold side	= 04, 05, 06, 08, 10, 16, 20, 22, 27, 30, 32	} Porting pattern type – manifold side
2	Porting pattern – manifold side	= Form A, B, C, D, E, F, G, R, X	
3	Nominal size – component side	= 04, 05, 06, 08, 10, 16, 20, 22, 27, 32	} Porting pattern type – component side
4	Porting pattern – component side	= Form A, B, C, D, E, F, G, J, R, X	
5	Consecutive number for the function version 001 ... 999 (are determined by the factory)		
6	Seal types:	NBR seals = M	
	(other seals on request)	FKM seals = V	
	Note: The compatibility of the seals and pressure fluid has to be taken into account!		
7	Connection type:	No external connection = 00	
		Connection to DIN 3852 part 2 with threads to DIN EN ISO 228 (Whitworth pipe thread) = 01	
8	Further details in clear text		
*			

- Circuits and types other than these shown in the catalogue sheet are only possible after consultation!
- Connection threads are always plugged pressure-tight.
- Fixing screws (S.H.C.S. to ISO 4762) are included within the scope of supply and are described with the relevant component.

Ordering example:

Adaptor plate (page 5, centre)

Material No.	Type description
R900468227	HSE 05A 06A 001-3X/M00

The Material No. comprises of the ready-to-install adaptor plate.

Components and associated porting patterns

Component description	Catalogue sheet no.	Porting pattern type	Component description	Catalogue sheet no.	Porting pattern type
HED 8 OH1X/...	50060	04J	M-.SED 10 .1X/350...	22045	10A
HED 4 KP1X/...	30174	04R	M-.SEW 10 .1X/420...	22075	
.WE 5 .6X/...	23166	05A	.WM. 10 .3X/...	22331	
DR 5 DP.-1X/...	26555		.WE 10 .-3X/...	23183	
DZ 5 DP.-1X/...	26055		.WE 10 .3X/...	23327	
F 5 P3-3X/...	27761	05G	5-.WE 10 .3X/...	23351	
2FRR 5 -3X/...	28136		4WRA. 10 ..-2X/...	29055	
2FRM 5 - 3X/...	28138		4WRE 10 ..-2X/...	29061	
SV 6 PB.-6X/ SL 6 PB.-6X/...	21460	06A	4WEH 10 .4X/...	24751	10B
M-.SED 6 .1X/350...	22049		H-4WEH 10 .4X		
M-.SEW 6 .3X/420...	22058		4WH 10 .4X/...		
.WM. 6 .5X/...	22280		H-4WH 10 .4X/...		
.W. 6 .5X/...	22282		4WRGE 10 ...-1X/...	29070	
.WMR. 6 .-5X/...	22284		4WRTE 10 ...-4X/...	29083	
.WE 6 .6X/...	23178		4WREE 10 ...-5X/...	29093	
.WE 6 .-6X/...	23183		4WRZ 10 ..-7X/...	29115	
DZ 6 DP.-5X/...	26076		3DRE. 10 P5X/...	29185	
DA 6 V..-4X/...	26404		4WS.2E. 10-5X/...	29583	
DR 6 DP.-5X/...	26564		..SE 10 .2X/630...	22088	10C
2FRM 6 ...-3X/...	28163		SV 10 P.-4X/...	21468	10D
4WRA 6 ..-2X/...	29055		SL 10 P.-4X/...		
4WRE 6 ..-2X/...	29061		DZ 10 DP.-4X/...	26099	
4WRS 6 ..-3X/...	29067		DZ 10 ..-5X/...	26391	
DBE. 6 ..-1X/...	29158		DR 10 DP.-4X/...	26580	
DBEP 6 .06-1X/...	29164		DR 10 ..-5X/...	26892	
DBET . -5X/...	29165		DR 10 ..-4X/...	26893	
DBEMT . -5X/...			FD 12 PA2X/...	27551	
DBETR - 2X/...	29168		FD 16 PA2X/...		
DRE 6 ..-1X/...	29175		DRG 10 -1X/...	29145	
3DREP 6 .2X/...	29184		DRE 10 -5X/...	29176	
2FRE 6 .-2X/...	29188		DREM 10 -5X/...		
4WS2EM 6 -2X/...	29564		DB 10 ..-5X/...	25802	10E
M-.SEW 6 .3X/630...	22058	06C	DBW 10 ..-5X/...		
..SE 6 .2X/...	22054	08A	DB 10 ..-4X/...W65	25818	
HED 8 OP1X/...	50060	08R	DB3U 10 .5X/...	25826	
			DBG 10 -1X/...	29139	
			DBE. 10 -5X/...	29160	
			DBEM. 10 -5X/...		
			4WS2E. 10 -4X/...	29586	10F
			4WSE2E. 10 -4X/...		
			3DS2EH 10 -2X/...	29646	
			3DSE2EH 10 -2X/...		

Components and associated porting patterns

Component description	Catalogue sheet no.	Porting pattern type	Component description	Catalogue sheet no.	Porting pattern type	
2FRM 10 -3X/...	28389	10G	H-4WMM 22 .7X/...	22371	22B	
2FRH 10 -3X/...			24751			
2FRW 10 -3X/...						
2FRE 10 -4X/...	29190					
4WS2E. 10 A-4X/...	29588	10X				
4WSE2E. 10 A-4X/...						
H-4WMM 16 .7X/...	22371	16B		H-4WEH 22 ..7X/...		29070
4WEH 16 ..6X/...	24751		H-4WEH 22 ..7X/...	29075		
H-4WEH 16 ..6X/...	29070		H-4WH 22 ..7X/...	29083		
4WH 16 ..6X/...			H-4WH 22 ..7X/...	29093		
H-4WH 16 ..6X/...			H-4WEH 25 ..6X/...	29115		
4WRGE 16 ...-1X/...	29070		H-4WH 25 ..6X/...			
4WRTE 16 ...-4X/...	29083		4WRGE 25 ...-1X/...			29075
4WREE 16 ...-5X/...	29093		4WRK. 25 ..-3X/...	29083		
4WREU 16 ...-5X/...	29115		4WRTE 25 ...-4X/...	29093		
4WRH 16 ...-7X/...			4WREE 25 ...-5X/...	29115	4WREU 25 ...-5X/...	
4WRZ 16 .. -7X/...			4WRH 25 ...-7X/...		4WRZ 25 ...-7X/...	
3DRE 16 P 4X/...	29185		4WRZ 25 ...-7X/...		29595	
3DREM 16 P 4X/...	29591		4WSE3EE 25 -2X/...	29075		
4WS2E. 16 -2X/...		4WRKE 27 . 500-3XH/...	29083			
4WSE2E. 16 -2X/...		4WRTE 27 . 500.-4XH/...			29093	
4WSE3EE 16 -1X/...	29595	4WREE 27 . 500.-5X/...		21468		
2FRM 16 -3X/...	28389	SV 30 P.-4X/...	29075			
2FRH 16 -3X/...		SL 30 P.-4X/...			29083	
2FRW 16 -3X/...		DZ 30 -.-5X/...		29093		
2FRE 16 -4X/...	29190	DR 30 -.-5X/...	26391			
SV 20 P.-4X/...	21468	FD 32 PA2X/...			26892	
SL 20 P.-4X/...		DRG 30 -1X/...		27551		
DZ 20 -.-5X/...		DRE.. 30 -4X/	29145			
DR 20 -.-5X/...	26892	DB 30 ...-5X/...			29178	
DR 20 -.-4X/...		DBW 30 ...-5X/...		25802		
FD 25 PA2X/...		DB3U 30 ..5X/...	25826			
DRG 20 -1X/...	29145	DBG 30 -1X/...			29139	
DRE 20 -5X/...	29176	DBE. 30 -3X/...		29142		
DREM 20 -5X/	25802	DBEM. 30 -3X/...	24751			
DB 20 ...-5X/...		20E			4WEH 32 ..6X/...	29075
DBW 20 ...-5X/...				H-4WEH 32 ..6X/...	29083	
DB 20 ...-4X/...W65	25818		4WRK. 32 ...-3X/	29093		
DB3U 20 ..5X/...	25826	4WRTE 32 ...-4X/...	29115			
DBG 20 -1X/...	29139	4WREE 32 ...-5X/...			29115	
DBE. 20 -5X/...	29160	4WREU 32 ...-5X/...		29595		
DBEM. 20 -5X/...						


Note:

All of the components stated within a porting pattern type have the same connection pattern.


Adaptor plate for porting pattern type 04R on the manifold side (① = component side, ② = manifold side)

Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 04R 08R 130-3X/M00 R900922961		40 x 40 x 20 0,2 kg	R900259719 Without separate fixing (sandwich plate principle)
Adaptor plate	HSE 04R 04J 131-3X/M01 R900922962		45 x 40 x 41 0,5 kg P = G1/4	R900262836 2 off M5 x 50

Adaptor plate for porting pattern type 05A on the manifold side (① = component side, ② = manifold side)




Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 05A 06A 001-3X/M00 R900468227		65 x 45 x 50 1,1 kg	R900265834 4 off M5 x 50

Adaptor plate for porting pattern type 05G on the manifold side (① = component side, ② = manifold side)





Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 05G 06A 001-3X/V00 R900496121		60 x 60 x 30 0,8 kg	R900274465 4 off M5 x 30

¹⁾ Nominal dimensions in mm

Adaptor plate for porting pattern type 06A on the manifold side (① = component side, ② = manifold side)



Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 06A 04A 001-3X/M00 R900539992		65 x 44 x 20 0,4 kg	R900265624 4 off M5 x 20
Adaptor plate	HSE 06A 10A 001-3X/M00 R900922686		131 x 70 x 50 3,3 kg	R900270119 4 off M5 x 50
Adaptor plate	HSE 06A 10A 003-3X/M00 R900511288		76 x 60 x 27 0,9 kg	R900262410 4 off M5 x 12 ²⁾

Adaptor plate for porting pattern type 08A on the manifold side (① = component side, ② = manifold side)


Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 08A 06A 001-3X/M00 R900463038		65 x 54 x 30 0,7 kg	R900262408 4 off M6 x 30
Adaptor plate	HSE 08A 06A 003-3X/M00 R900518867		75 x 54 x 45 1,2 kg	R900262411 4 off M6 x 45
Adaptor plate	HSE 08A 06C 001-3X/M00 R900463049		65 x 54 x 30 0,7 kg	R900262409 4 off M6 x 30
Adaptor plate	HSE 08A 06C 003-3X/M00 R900906803		75 x 54 x 45 1,3 kg	R900267820 4 off M6 x 45

¹⁾ Nominal dimensions in mm²⁾ Screws for vertical stacking assembly from top edge of the adaptor plate + 15 mm.


Adaptor plate for porting pattern type 10F on the manifold side (① = component side, ② = manifold side)

Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 10F 06A 001-4X/M00 R901104940		90 x 70 x 30 1,4 kg	R901104943 4 off M6 x 25
Adaptor plate	HSE 10F 10B 001-3X/M00 R900915104		105 x 65 x 20 1,0 kg	R900269108 Without separate fixing (sandwich plate principle)

Adaptor plate for porting pattern type 10G on the manifold side (① = component side, ② = manifold side)

Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 10G 05G 001-3X/M00 R900916974		95 x 100 x 30 2,0 kg	R900269381 4 off M8 x 40

Adaptor plate for porting pattern type 10X on the manifold side (① = component side, ② = manifold side)

Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 10X 10B 154-3X/M00 R900905126		95 x 82 x 40 2,2 kg	R900267512 4 off M8 x 40

¹⁾ Nominal dimensions in mm

Adaptor plate for porting pattern type 16B on the manifold side (① = component side, ② = manifold side)

Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 16B 06A 001-3X/M00 R900524335		140 x 91 x 40 3,7 kg	R900262763 4 off M10 x 40 2 off M6 x 40
Adaptor plate	HSE 16B 10A 001-3X/M01 R900494609		140 x 92 x 50 4,7 kg A = G1/4 B = G1/4	R900262465 4 off M10 x 50 2 off M6 x 50
Adaptor plate	HSE 16B 10B 001-3X/M01 R900381275		140 x 91 x 75 6,9 kg A = G1/4 B = G1/4 P = G1/4	R900265040 4 off M10 x 40 2 off M6 x 40
Adaptor plate	HSE 16B 22B 001-3X/M00 R900534817		165 x 140 x 100 16,7 kg	R900265278 4 off M10 x 100 2 off M6 x 100

Adaptor plate for porting pattern type 16G on the manifold side (① = component side, ② = manifold side)


Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 16G 10G 001-3X/M00 R900534949		125 x 125 x 40 4,7 kg	R900265291 4 off M10 x 40

Adaptor plate for porting pattern type 20D on the manifold side (① = component side, ② = manifold side)




Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 20D 10D 001-3X/M00 R900920911		100 x 100 x 50 3,6 kg	R900269944 4 off M10 x 50

¹⁾ Nominal dimensions in mm


Adaptor plate for porting pattern type 20E on the manifold side (① = component side, ② = manifold side)

Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 20E 10E 001-3X/M00 R900920450		120 x 100 x 40 3,5 kg	R900269909 4 off M16 x 40

Adaptor plate for porting pattern type 22B on the manifold side (① = component side, ② = manifold side)


Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 22B 10B 001-3X/M00 R900547240		160 x 117 x 50 6,7 kg	R900268088 6 off M12 x 50
Adaptor plate	HSE 22B 16B 001-3X/M00 R900379983		200 x 117 x 60 10,0 kg	R900262622 6 off M12 x 60
Adaptor plate	HSE 22B 32B 001-3X/M00 R900515227		230 x 197 x 85 28 kg	R900262388 6 off M12 x 40 ²⁾

Adaptor plate for porting pattern type 27B on the manifold side (① = component side, ② = manifold side)


Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 27B 22B 001-3X/M00 R900915151		190 x 117 x 20 3,2 kg	R900262713

¹⁾ Nominal dimensions in mm²⁾ Screws for vertical stacking assembly from top edge of the adaptor plate + 50 mm.




Adaptor plate for porting pattern type 30D on the manifold side (① = component side, ② = manifold side)

Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 30D 20D 001-3X/M00 R900920912		120 x 120 x 35 3,6 kg	R900269946 6 off M10 x 30

Adaptor plate for porting pattern type 30E on the manifold side (① = component side, ② = manifold side)

Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 30E 20E 001-3X/M00 R900920913		180 x 117 x 70 10,8 kg	R900269951 4 off M18 x 50

Adaptor plate for porting pattern type 32B on the manifold side (① = component side, ② = manifold side)

Component description	Type code Material No.	Symbol	Plate L x B x H ¹⁾ Weight Connection sizes	Dimensions Fixing screws Further information
Adaptor plate	HSE 32B 16B 001-3X/M01 R900902695		230 x 197 x 75 24,8 kg L = G1/4	R900267122 6 off M20 x 100
Adaptor plate	HSE 32B 22B 001-3X/M01 R900420078		230 x 197 x 75 24,8 kg P = G1/4 L = G1/4	R900266340 6 off M20 x 80
Adaptor plate	HSE 32B 27B 001-3X/M01 R900570640		230 x 197 x 75 24,8 kg P = G1/4 L = G1/4	R900266329 6 off M20 x 80

¹⁾ Nominal dimensions in mm