

Axial piston fixed motor A2FM/A2FE series 70



► A2FMN, A2FEN (sizes 28 to 107): Nominal pressure 300 bar Maximum pressure 350 bar

- ► A2FMM, A2FEM (sizes 23 to 180): Nominal pressure 400 bar Maximum pressure 450 bar
- ► A2FMH, A2FEH (sizes 45 to 125): Nominal pressure 450 bar Maximum pressure 500 bar

Features

- ► Fixed motor with axial tapered piston rotary group of bent-axis design, for hydrostatic drives in open and closed circuits
- For use in mobile and stationary applications
- Far-reaching integration of the plug-in version in mechanical gears due to recessed mounting flange located in the center of the case (extremely space-saving construction)
- ▶ Easy to install, simply plug the plug-in version into the mechanical gearbox
- ▶ The output speed depends on the flow of the pump and the displacement of the motor.
- ▶ The output torque increases with the pressure differential between the high-pressure side and the low-pressure side.
- ► Finely graduated sizes permit far-reaching adaptation to the drive concerned
- High power density
- ► Small dimensions
- ► High total efficiency
- Good starting efficiency
- Optional with integrated flushing valve

C	0	n	te	er	ıt	S
_						

Contents	
Type code	2
Hydraulic fluids	5
Flow direction	6
Working pressure range	6
Technical data	8
A2FMN size 28, 32, 37, 45 and A2FMM size 23, 28, 32	12
Dimensions A2FE, sizes 23 to 45	16
Drive shafts, sizes 23 to 45	20
Dimensions A2FM, sizes 45 to 80	21
Dimensions A2FE, sizes 45 to 80	26
Drive shafts, sizes 45 to 80	30
Dimensions A2FM, sizes 80 to 107	31
Dimensions A2FE, sizes 80 to 107	34
Drive shafts, sizes 80 to 107	37
Dimensions A2FM, sizes 107 and 125	38
Dimensions A2FE, sizes 107 and 125	41
Drive shafts, sizes 107 and 125	44
Dimensions A2FM, sizes 160 and 180	45
Dimensions A2FE, sizes 160 and 180	48
Drive shafts, sizes 160 and 180	51
Flushing and boost-pressure valve, integrated	52
Pressure relief valve	53
Counterbalance valve BVD/BVE	56
Port plate with integrated check valve (U)	60
Speed sensor	61
Installation instructions	62
Project planning notes	64
Safety instructions	64

Type code

0	1	02	03	04		05	06	07	08	3	09	10)	11	12		13	14			15
A2	2F				/	70	N	W	V]	
Axial	piston	unit																			
01	1		ign, fix	ed displa	cement					-											A2F
Opera	ting m	node																			
02		r, standa	rd vers	sion																	М
	Moto	r, plug-ir	versio	on								-	-						-		E
Pressu	iro rar	190						023	028	032	037	045	056	063	080	090	107	125	160	180	
03			ure: 30	00 bar. m	aximum	pressure	: 350 bar		•	•	•	043	•	•	•	•	•	_	-	-	N
						•	: 450 bar	•	•	•	-	•	•	•	•	•	•	•	•	•	M
						·	: 500 bar	<u> </u>	-	-	_	•	•	•	•	•	•	•	-	_	Н
Size (N	NG)																				
04	1	netric dis	placem	nent,						1											
	1	echnical						023	028	032	037	045	056	063	080	090	107	125	160	180	
Series	i																				
05	Serie	s 7, inde	x 0																		70
Versio	n of n	ort and	fasteni	ing threa	ds																
06						profile	sealing rin	g. me	tric fa	steni	ng thr	ead a	ccord	ing to	DIN	13					N
						1		0,						0							
07	viewed on drive shaft, bidirectional											-	-								w
																					•••
Sealin	<u> </u>																				
08		(fluoroca	arbon r	ubber)													-				V
Mount	ĭ							023	028	032	037		056	063	1	090	107	125	160		
09	ISO 3	3019-2 m	etric	A2FM	-	0-4		•	•	•	•	•1)	-	_	-	_	-	_	-	_	L4
						5-4		-	-	-	-	•3)	•	•	• ¹⁾	-	-	-	-	_	M4
						0-4		-	-	-	-	-	-	-	● ³⁾	•	•1)	-	-	_	N4
						0-4		-	-	-	-	-	-	-	_	-	•3)	•	-	_	P4
						0-4		-	-	-	-	-	-	_	-	_	-	-	•	•	R4
				A2FE		5-2		•	•	•	•	•1)	-	_	-	-	-	-	-	_	12
						0-2		ļ-	-	-	-	• ³⁾	•	•	•1)	-	-	_	-	_	P2
						0-2		↓ -	-	-	-	-	-	-	● ³⁾	•	•1)	-	-	_	Y2
					20	0-2		_	_	-	_	_	_	_	_	_	● ³⁾	•	•	•	S2
Drive s	shaft							023	028	032	037	045	056	063	080	090	107	125	160	180	
10	1 -	ed shaft		W25x1.	25x18x9)g		•	•	•	_	_	-	_	_	_	_	_	-	_	Z 5
	DIN 5	5480		W30x2	k14x9g			•	•	•	•	•	• ²⁾	-	_	-	-	_	-	_	Z6
				W35x2x				-	-	-	_	-	•	•	• ²⁾	_	_	-	-	_	Z8
				W40x2>				ļ-	-	-	_	-	-	_	● ³⁾	•	•	_	-		Z9
				W45x2>				-	-	-	-	-	-	_	-	-	● ³⁾	•	•	-	A1
				W50x2>	k24x9g			-	-	-	-	-	-	_	_	-	-	-	•	•	A2
		lel keyed. DIN 688		ø25				•	•	•	_	-	-	-	-	-	-	-	-	-	P5
	Silait	סטט אווע	,,,	ø30				•	•	•	•	•	•	-	-	-	-	-	-	-	P6
				ø35				-	-	-	-	-	•	•	- 3)	-	-	-	-	-	P8
				ø40				├ -	-	-	-	-	-	-	● ³⁾	•	•3)	-	-	_	P9
1 '																					
				ø45 ø50				-	-	- -	- _	-	-	- _	_	- _	_	-	•	-	B1 B2

(01	02	03	04		05	06	07	C)8	09	1	0	11	12	2	13	14			15
Α	2F				/	70	N	W	\	v										- 1	
Work	ing po	rt						023	028	032	037	045	056	063	080	090	107	125	160	180	
11			oorts A a	and B at	bottom			•	•	•	•	•	•	•	•	•	•	•	•	•	11
	SAE v	vorking p	orts A a	and B ,				1_		_	_	_	•	•	•			_	_	_	12
	1× at	side and	11× at b	ottom 1)	6)								_	_	_						12
			orts A a					•3)	•	•	•	•	•	•	•	•	•	•	•	•	01
			orts A a					•	•	•	•	•	•	•	•	•	•	•	•	•	02
	Threa	ded por	ts A and	B at sic	le and a	rear		•	•	•	•	● ¹⁾	0	0	o ¹⁾	_	_	_	_	_	03
		-	ts A and					•	•	•	•	● ¹⁾	_	_	_	_	_	-	_	_	05
			ressure nce valve			mounting	g 	-	-	-	-	•	•	•	•	•	•	•	-	-	07
			ressure nce valve			mounting	B	-	-	-	-	-	-	-	-	_	•	•	_	-	08
	Versio	n with p	ressure	relief va	alves ²⁾³⁾⁸)		_	_	_	_	•	•	•	•	•	•	•	_	_	09
Valve	s							023	028	032	037	045	056	063	080	090	107	125	160	180	
12	Witho	ut valve	S					•	•	•	•	•	•	•	•	•	•	•	•	•	0
		check va or count	,	wise or	clockwis	e rotation	า ¹⁾¹²⁾	•4)	•4)	•4)	•4)	•5)	● ⁵⁾	● ⁵⁾	● 5)	•4)	•4)	_	_	-	U
	_		shing an	d Flu	shing fl	ow [l/mir	2.6	•	•	•	•	•	•	•	•	•	_	_	_	-	С
		pressuring flow					4.0	•	•	•	•	•	•	•	•	•	•	•	•	•	D
			at: = 25 bar				6.0	•	•	•	•	•	•	•	•	•	•	•	•	•	E
		= 10 mn					7.4	•	•	•	•	•	•	•	•	•	● ¹⁾	_	_	-	F
							8.5	•	•	•	•	•	•	•	•	•	•	•	•	•	G
							10.0	•	•	•	•	•	•	•	•	•	•	•	•	•	Н
							11.4	•	•	•	•	•	•	•	•	•	● ¹⁾	_	_	_	ı
							12.5	•	•	•	•	•	•	•	•	•	•	•	•	•	J
							15	-	-	-	_	-	-	-	_	_	•3)	•	•	•	K
							18	-	-	-	_	-	-	-	-	-	•3)	•	•	•	L
							21	<u> </u>	-	-	-	-	-	-	-	-	•3)	•	•	•	М
							27	-	-	-	-	-	-	_	-	-	•3)	•	•	•	N
							31	-	-	-	_	-	_	-	-	-	•3)	•	•	•	0
	_						37	-	-	-		-	_	_	_	_	● ³⁾	•	•	•	Р
		ure relie out pres	f valves sure boo	st facili	ty) ²⁾³⁾⁹⁾			-	-	-	-	•	•	•	•	•	•	•	-	-	R
		ure relie pressure	f valves e boost f	facility) ²	2)3)9)			-	-	-	-	•	•	•	•	•	•	•	-	-	S
	Count	terbalan	ce valve	BVD/BV	E moun	ed ²⁾³⁾¹⁰⁾¹	1)	-	-	-	-	•	•	•	•	•	•	•	-	-	W

¹⁾ Only available for A2FMN, A2FEN (pressure range 300 to 350 bar)

 $_{
m 2)}$ Not available for A2FMH, A2FEH (pressure range 450 to 500 bar)

³⁾ Not available for A2FMN, A2FEN (pressure range 300 to 350 bar)

⁴⁾ Only in combination with working ports 11

⁵⁾ Only in combination with working ports 11 or 12

⁶⁾ Only in combination with check valve (valve design U)

Only in combination with mounted counterbalance valve (valve design W)

⁸⁾ Only in combination with pressure relief valve (valve designs R or S)

⁹⁾ Only in combination with working ports 09

¹⁰⁾ Only in combination with working ports 07 or 08

¹¹⁾ Type code for counterbalance valve to be quoted separately in accordance with data sheet 95522 (BVD) and 95526 (BVE)

¹²⁾ For version with check valve, different indication of the direction of rotation at position 07 (type code R for clockwise or L for counter-clockwise)

4 **A2FM/A2FE series 70** | Axial piston fixed motor Type code

	01	02	03	04		05	06	07	C	8(09	1	0	11	1:	2	13	14	1		15
A	\2F				/	70	N	W	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	v										-	
Spee	ed sens	or						023	028	032	037	045	056	063	080	090	107	125	160	180	
13	Witho	ut spee	d sensor					•	•	•	•	•	•	•	•	•	•	•	•	•	0
	Prepa	red for s	sensor D	SA/20 o	r DST			•	•	•	•	•	•	•	•	•	•	•	•	•	W
	Speed	sensor	DSA/20	mounte	d ¹⁵⁾			•	•	•	•	•	•	•	•	•	•	•	•	•	С
	Speed	sensor	DST mo	unted ¹⁵)			•	•	•	•	•	•	•	•	•	•	•	•	•	E
Spec	ial vers	sion						023	028	032	037	045	056	063	080	090	107	125	160	180	
14	Stand	ard vers	ion					•	•	•	•	•	•	•	•	•	•	•	•	•	0
	Long-l	life bear	ing ¹²⁾¹³⁾					•	•	•	•	•	•	•	•	•	•	•	•	•	L
	Speci	al versio	n for sle	ew drives	s ¹⁴⁾			•	•	•	•	•	•	•	•	•	•	•	•	•	J
Stan	dard/sp	oecial ve	ersion																		
15	Stand	ard vers	ion																		0

15	Standard version	0
	Standard version with installation variants, e.g. T ports contrary to standard, open or closed	Υ
	Special version	S

● = Available o = On request -= Not available

Notice

- ▶ Note the project planning notes on page 64.
- ► Please note that not all type code combinations are available although the individual functions are marked as being available.

¹³⁾ Type code version "L" not available in combination with A2FMH/A2FEH since in the case of pressure range "H" the long-life bearing is already included in the standard version (type code designation "0").

 $_{\rm 14)}$ Not for NG 23 to 37 and 45 (N)

¹⁵⁾ Not available for A2FMN, A2FEN (pressure range 300 to 350 bar)

¹⁶⁾ Type codes of the sensors must be specified separately in accordance with data sheet 95131 (DST) or data sheet 95126 (DSA/20).

Hydraulic fluids

The fixed motor A2FM/A2FE is designed for operation with HLP mineral oil according to DIN 51524. Application instructions and requirements for hydraulic fluid selection, behavior during operation as well as disposal and environmental protection should be taken from the following data sheets before the start of project planning:

- ▶ 90220: Hydraulic fluids based on mineral oils and related hydrocarbons
- ▶ 90221: Environmentally acceptable hydraulic fluids

Selection of hydraulic fluid

Bosch Rexroth evaluates hydraulic fluids on the basis of the Fluid Rating according to the technical data sheet 90235. Hydraulic fluids with positive evaluation in the Fluid Rating are provided in the following technical data sheet:

▶ 90245: Bosch Rexroth Fluid Rating List for Rexroth hydraulic components (pumps and motors)

Selection of hydraulic fluid shall make sure that the operating viscosity in the operating temperature range is within the optimum range (v_{opt} ; see selection diagram).

Notice


For operation with HF hydraulic fluids, please contact us.

Viscosity and temperature of hydraulic fluids

	Viscosity	Shaft seal	Temperature ³⁾	Remarks
Cold start	$v_{\text{max}} \le 1600 \text{ mm}^2/\text{s}$	NBR ²⁾	$\vartheta_{\rm St} \ge -40^{\circ}{\rm C}$	$t \le 3$ min, without load ($p \le 50$ bar), $n \le 1000$ rpm
		FKM	$\theta_{\rm St} \ge -25^{\circ}{\rm C}$	Permissible temperature difference between axial piston unit and hydraulic fluid in the system maximum 25 K
Warm-up phase	$v = 1600 \dots 400 \text{ mm}^2/\text{s}$			$t \le 15 \text{ min}, p \le 0.7 \times p_{\text{nom}} \text{ and } n \le 0.5 \times n_{\text{nom}}$
Continuous	$v = 400 \dots 10 \text{ mm}^2/\text{s}^{1)}$	NBR ²⁾	θ ≤ +78°C	Measured at port T
operation		FKM	θ ≤ +103°C	
	$v_{\rm opt}$ = 36 16 mm ² /s			Optimal operating viscosity and efficiency range
Short-term	$v_{min} = 10 7 \text{ mm}^2/\text{s}$	NBR ²⁾	θ ≤ +78°C	$t \le 3 \text{ min, p} \le 0.3 \times p_{\text{nom}}$, measured at port T
operation		FKM	θ ≤ +103°C	

Notice: The maximum circuit temperature of +115°C must not be exceeded at the working ports **A** and **B** complying with the permissible viscosity.

▼ Selection diagram



¹⁾ This corresponds, for example on the VG 46, to a temperature range of +4°C to +85°C (see selection diagram)

²⁾ Special version, please contact us

³⁾ If the temperature at extreme operating parameters cannot be adhered to, please contact us.

Filtration of the hydraulic fluid

Finer filtration improves the cleanliness level of the hydraulic fluid, which increases the service life of the axial piston unit.

A cleanliness level of at least 20/18/15 is to be maintained according to ISO 4406.

At a hydraulic fluid viscosity of less than 10 mm²/s (e.g. due to high temperatures during short-term operation), a cleanliness level of at least 19/17/14 according to ISO 4406 is required.

For example, the viscosity 10 mm²/s at:

- ► HLP 32 a temperature of 73°C
- ► HLP 46 a temperature of 85°C.


Flow direction

Direction of rotation, viewed	on drive shaft
clockwise	counter-clockwise
A to B	B to A


Working pressure range

Pressure at work	ing port A or B		Definition
Nominal	A2FMN, A2FEN	300 bar	The nominal pressure corresponds to the maximum design pressure.
pressure p_{nom}	A2FMM, A2FEM	400 bar	_
	A2FMH, A2FEH	450 bar	_
Maximum	A2FMN, A2FEN	350 bar	The maximum pressure corresponds to the maximum working pressure
pressure $p_{\sf max}$	A2FMM, A2FEM	450 bar	within a single operating period. The sum of single operating periods
	A2FMH, A2FEH	500 bar	must not exceed the total operating period.
Maximum sing	gle operating period	10 s	_
Total operatin	g period	300 h	_
Minimum pressur (high-pressure sid		25 bar	Minimum pressure at the high-pressure side (A or B) which is required to prevent damage to the axial piston unit.
Minimum pressur (inlet)	e – operation as a pump	See diagram (next page)	To prevent damage to the axial piston motor during operation as a pump (change of the high-pressure side with constant direction of rotation, e.g. during brake applications) a minimum pressure has to be ensured at the working port (inlet). The minimum pressure depends on the speed of the axial piston unit.
Summation press	ure p_{Su}	700 bar	The summation pressure is the sum of the pressures at the ports for the working lines (A and B).
Rate of pressure	change $R_{\text{A max}}$		Maximum permissible speed of pressure build-up and reduction during
with integrate	d pressure relief valve	9000 bar/s	a pressure change across the entire pressure range.
without press	ure relief valve	16000 bar/s	_
Case pressure at	port T		
Continuous differ	rential pressure $\Delta p_{T\ cont}$	2 bar	Maximum, averaged differential pressure at the shaft seal (case pressure to ambient pressure)
Pressure peaks p	Γ peak	10 bar	t < 0.1 s

▼ Rate of pressure change $R_{A \text{ max}}$




▼ Minimum pressure - operation as a pump (inlet)



This diagram is only valid for the optimum viscosity range of ν_{opt} = 36 bis 16 mm²/s. If the above-mentioned conditions cannot be ensured, please contact us.

▼ Pressure definition



Total operating period = $t_1 + t_2 + ... + t_n$

Notice

- Working pressure range applies when using hydraulic fluids based on mineral oils.
 Please contact us for values for other hydraulic fluids.
- ► In addition to the hydraulic fluid and the temperature, the service life of the shaft seal is influenced by the rotational speed of the axial piston unit and the case pressure.
- ► The service life of the shaft seal decreases with increasing frequency of pressure peaks and increasing mean differential pressure.
- ► The case pressure must be greater than the external pressure (ambient pressure) at the shaft seal.

Technical data

A2FMN, A2FEN

Size	NG		28	32	37	45	56	63	80	90	107		
Displacement geometric, per revolution	V_{g}	cm ³	28.1	32.0	36.8	44.2	56.6	63.0	81.7	90.5	108.8		
Maximum rotational speed ¹⁾	n_{nom}	rpm	4725	4725	4200	4200	3750	3750	3375	3375	3000		
	$n_{max^{2)}}$	rpm	5175	5175	4650	4650	4125	4125	3700	3700	3300		
Inlet flow at n_{nom}	$q_{ m v\; max}$	l/min	133	151	155	186	212	236	276	305	326		
Torque ³⁾ at $\Delta p = 300$ ba	r <i>M</i>	Nm	134	153	176	211	270	301	390	432	519		
Rotary stiffness	c_{min}	kNm/rad	2.20	2.46	4.29	4.84	6.97	8.11	8.47	9.85	10.96		
Moment of inertia of the rotary group	$J_{\sf TW}$	kgm ²	0.0010	0.0011	0.0012	0.0012	0.0034	0.0035	0.0037	0.0058	0.0061		
Case volume	V	l	0.3	0.3	0.3	0.3	0.6	0.6	0.6	0.65	0.65		
Weight approx.	m	kg	10.7	10.7	10.7	10.7	17	17	17	23	23		

A2FMM, A2FEM

Size		NG		23	28	32	45	56	63	80	90	107	125	160	180
Displacement per revolution	it geometric, on	V_{g}	cm ³	22.9	28.1	32.0	44.9	56.6	63.0	79.8	90.5	106.7	125.0	160.4	180.0
Maximum ro	tational speed ¹⁾	n_{nom}	rpm	6300	6300	6300	5000	5000	5000	4500	4500	4000	4000	3600	3600
		$n_{max}^{2)}$	rpm	6900	6900	6900	5500	5500	5500	5000	5000	4400	4400	4000	4000
Inlet flow	at n_{nom}	$q_{ m v\; max}$	l/min	144	177	202	225	283	315	359	407	427	500	577	648
Torque ³⁾	at <i>∆p</i> = 400 bar	M	Nm	146	179	204	286	360	401	508	576	679	796	1021	1146
Rotary stiffn	ess	c_{min}	kNm/rad	1.76	2.20	2.46	4.65	6.97	8.11	9.10	9.85	12.49	13.65	21.32	23.04
Moment of inertia of the rotary group		$J_{\sf TW}$	kgm ²	0.0010	0.0010	0.0011	0.0033	0.0034	0.0035	0.0056	0.0058	0.0088	0.0091	0.0248	0.0254
Case volume		V	l	0.3	0.3	0.3	0.6	0.6	0.6	0.65	0.65	1.1	1.1	0.8	0.8
Weight approx.		m	kg	10.7	10.7	10.7	17	17	17	23	23	32.8	32.8	41	41

A2FMH, A2FEH

Size		NG		45	56	63	80	90	107	125			
Displacement per revolution		V_{g}	cm ³	44.9	56.6	63.0	79.8	90.5	106.7	125.0			
Maximum rot	ational speed ¹⁾	n_{nom}	rpm	5000	5000	5000	4500	4500	4000	4000			
		$n_{max}^{(2)}$	rpm	5500	5500	5500	5000	5000	4400	4400			
Inlet flow	at n_{nom}	$q_{ m v\; max}$	l/min	225	283	315	359	407	427	500			
Torque ³⁾	at Δp = 450 bar	M	Nm	322	405	451	572	648	764	895			
Rotary stiffne	ess	c_{min}	kNm/rad	4.65	6.97	8.11	9.10	9.85	12.49	13.65			
Moment of in the rotary gro		J_{TW}	kgm ²	0.0033	0.0034	0.0035	0.0056	0.0058	0.0088	0.0091			
Case volume		V	l	0.6	0.6	0.6	0.65	0.65	1.1	1.1			
Weight approx.		m	kg	17	17	17	23	23	32.8	32.8			

Speed range

No limit to minimum speed n_{\min} . If uniformity of motion is required, rotational speed n_{\min} must not be less than 50 rpm.

¹⁾ The valid values (observing the maximum permissible inlet flow):

[–] for the optimum viscosity range from ν_{opt} = 36 to 16 mm $^2/\text{s}$

⁻ with hydraulic fluid based on mineral oils

²⁾ Intermittent maximum speed: Overspeed for unloading and overhauling processes, t < 5 s and $\Delta p < 150$ bar

 $_{
m 3)}$ Torque without radial force, with radial force see page 11

Determination of	the o	perating characteristics	
Inlet flow	$q_{\scriptscriptstyle ee}$	$= \frac{V_{\rm g} \times n}{1000 \times \eta_{\rm v}}$	[l/min]
Rotational speed	n	$= \frac{q_{\rm v} \times 1000 \times \eta_{\rm v}}{V_{\rm g}}$	[rpm]
Torque	M	$= \frac{V_{\rm g} \times \Delta p \times \eta_{\rm mh}}{20 \times \pi}$	[Nm]
Power	P	$= \frac{2 \pi \times M \times n}{60000} = \frac{q_{v} \times \Delta p \times \eta_{t}}{600}$	- [kW]

Key

 $V_{\rm g}$ Displacement per revolution [cm 3]

 Δp Differential pressure [bar]

n Rotational speed [rpm]

 $\eta_{\rm v}$ Volumetric efficiency

 $\eta_{
m mh}$ Hydraulic-mechanical efficiency

 η_{t} Total efficiency $(\eta_{t} = \eta_{v} \times \eta_{mh})$

Notice

- ► Theoretical values, without efficiency and tolerances; values rounded
- Operation above the maximum values or below the minimum values may result in a loss of function, a reduced service life or in the destruction of the axial piston unit.
- ► Technical data on torsional vibrations available on request.

Permissible radial and axial loading on the drive shafts

NG

A2FMN, A2FEN

Size

Drive shaft		Code		Z5/P5	Z6/P6	Z5/P5	Z6/P6	Z6/P6	Z6/P6	Z6/P6	Z8/P8		
	with splined shaft	Ø	mm	25	30	25	30	30	30	30	35		
	with parallel keyed shaft	Ø	mm	25	30	25	30	30	30	30	35		
Maximum radial	$\downarrow^{F_{q}}$	$F_{q\;max}$	kN	4.3	3.6	4.9	4.1	4.7	5.6	7.2	6.2		
force ¹⁾ at distance a (from shaft collar)	a	a	mm	16	16	16	16	16	16	18	18		
Maximum torque	at $F_{ m q\ max}$	$M_{ m q\ max}$	Nm	134	134	153	153	176	211	270	270		
Maximum differen	ntial pressure at $F_{q\;max}$	$\Delta p_{ m q max}$	bar	300	300	300	300	300	300	300	300		
Maximum axial force	-	+ F _{ax max}	N	0	0	0	0	0	0	0	0		
at standstill or depressurized operation	$F_{ax} \overset{+}{\longleftarrow} \overset{-}{\longleftarrow}$	- F _{ax max}	N	500	500	500	500	500	500	800	800		
Permissible axial for working pressure	ce per bar	+ F _{ax perm} /bar	N/bar	5.2	5.2	5.2	5.2	5.2	5.2	8.7	8.7		
Size		NG		63	80	90	107						
Drive shaft		Code		Z8/P8	Z8/P8	Z9/P9	Z9/P9						
	with splined shaft	Ø	mm	35	35	40	40						
	with parallel keyed shaft	Ø	mm	35	35	40	40						
Maximum radial	\Fq	$F_{q\;max}$	kN	6.9	8.9	8.6	10.4						
force ¹⁾ at distance a (from shaft collar)	<u>a</u>	a	mm	18	18	20	20						
Maximum torque	at $F_{q\;max}$	$M_{ m q\ max}$	Nm	301	390	432	519						
Maximum differen	tial pressure at $F_{\sf q\;max}$	$\Delta p_{ m q max}$	bar	300	300	300	300						
Maximum axial force		+ F _{ax max}	N	0	0	0	0						
at standstill or depressurized operation	$F_{ax} \xrightarrow{+} \overline{\qquad}$	- F _{ax max}	N	800	800	1000	1000						
Permissible axial fore working pressure	ce per bar	+ $F_{\rm ax\ perm}/{\rm bar}$	N/bar	8.7	8.7	10.6	10.6						

28

28

32

32

37

45

56

56

Permissible radial and axial loading on the drive shafts

A2FMM, A2FEM

Size		NG		23	23	28	28	32	32	45	56	56	63
Drive shaft		Code		Z5/P5	Z6/P6	Z5/P5	Z6/P6	Z5/P5	Z6/P6	Z6/P6	Z6/P6	Z8/P8	Z8/P8
	with splined shaft	Ø	mm	25	30	25	30	25	30	30	30	35	35
	with parallel keyed shaft	Ø	mm	25	30	25	30	25	30	30	30	35	35
Maximum radial	↓Fq	$F_{q\;max}$	kN	4.7	3.9	5.7	4.8	6.5	5.4	7.6	9.6	8.2	9.2
force ¹⁾ at distance a (from shaft collar)	<u>a</u>	a	mm	16	16	16	16	16	16	18	18	18	18
Maximum torque	at $F_{ m q\ max}$	$M_{ m q\ max}$	Nm	146	146	179	179	204	204	286	360	360	401
Maximum differer	ntial pressure at $F_{ m q\ max}$	$\Delta p_{ m q max}$	bar	400	400	400	400	400	400	400	400	400	400
Maximum axial		+ F _{ax max}	N	0	0	0	0	0	0	0	0	0	0
force at standstill or depressurized operation	$F_{ax} \overset{+}{\longleftarrow}$	- F _{ax max}	N	500	500	500	500	500	500	800	800	800	800
Permissible axial for working pressure	ce per bar	+ $F_{ m ax\ perm}/{ m bar}$	N/bar	5.2	5.2	5.2	5.2	5.2	5.2	8.7	8.7	8.7	8.7
Size		NG		80	80	90	107	107	125	160	160	180	
Drive shaft		Code		Z8/P8	Z9/P9	Z9/P9	Z9/P9	A1/B1	A1/B1	A1/B1	A2/B2	A2/B2	
	with splined shaft	Ø	mm	35	40	40	40	45	45	45	50	50	
	with parallel keyed shaft	Ø	mm	35	40	40	40	45	45	45	50	50	
Maximum radial	$\downarrow^{F_{q}}$	$F_{q\;max}$	kN	11.6	10.2	11.5	13.6	12.1	14.1	18.2	16.3	18.3	
force ¹⁾ at distance a (from shaft collar)		a	mm	20	20	20	20	20	20	25	25	25	
	< →												
Maximum torque	at $F_{\text{q max}}$	$M_{ m q\ max}$	Nm	508	508	576	679	679	796	1021	1021	1146	
	at $F_{ m q \ max}$	$M_{ m q\ max}$ $\Delta p_{ m q\ max}$	Nm bar	508 400	508 400	576 400	679 400	679 400	796 400	1021	1021	1146 400	
Maximum differer	ntial pressure at $F_{q max}$												
Maximum differer	ntial pressure at $F_{q max}$	$\Delta p_{ m q max}$	bar	400	400	400	400	400	400	400	400	400	

¹⁾ With intermittent operation

Permissible radial and axial loading on the drive shafts


A2FMH, A2FEH

Size		NG		45	56	56	63	80	80	
Drive shaft		Code		Z6/P6	P6	Z8/P8	Z8/P8	P8	Z9/P9	
	with splined shaft	Ø	mm	30	-	35	35	-	40	
	with parallel keyed shaft	Ø	mm	30	30	35	35	35	40	
Maximum radial force ¹⁾		$F_{q\;max}$	kN	8.6	10.8	9.3	10.3	13.1	11.4	
at distance a (from shaft collar)	<u>a</u>	a	mm	18	18	18	18	20	20	
Maximum torque at	F _{q max}	$M_{q\;max}$	Nm	322	405	405	451	572	572	
Maximum differentia	l pressure at $F_{q\;max}$	$\Delta p_{q max}$	bar	450	450	450	450	450	450	
Maximum axial force		+ F _{ax max}	N	0	0	0	0	0	0	
at standstill or depressurized operation	$F_{ax} \longrightarrow \bigcup$	- F _{ax max}	N	800	800	800	800	1000	1000	
Permissible axial force	oer bar working pressure	+ $F_{\rm ax\ perm}/{\rm bar}$	N/bar	8.7	8.7	8.7	8.7	10.6	10.6	
Size		NG		90	107	107	125			
Size Drive shaft		NG Code		90 Z9/P9	107 Z9/P9	107 A1/B1	125 A1/B1			
	with splined shaft		mm							
	with splined shaft with parallel keyed shaft	Code	mm mm	Z9/P9	Z9/P9	A1/B1	A1/B1			
		Code		Z9/P9 40	Z9/P9	A1/B1 45	A1/B1 45			
Drive shaft		Code ø ø	mm	Z9/P9 40 40	Z9/P9 40 40	A1/B1 45 45	A1/B1 45 45			
Drive shaft Maximum radial force ¹⁾ at distance a	with parallel keyed shaft	© Ø F _{q max}	mm kN	Z9/P9 40 40 13.0	Z9/P9 40 40 15.3	A1/B1 45 45 13.6	A1/B1 45 45 15.9			
Drive shaft Maximum radial force ¹⁾ at distance a (from shaft collar)	with parallel keyed shaft	© Ø F _{q max}	mm kN mm	Z9/P9 40 40 13.0 20	29/P9 40 40 15.3 20	A1/B1 45 45 13.6 20	A1/B1 45 45 15.9 20			
Drive shaft Maximum radial force ¹⁾ at distance a (from shaft collar) Maximum torque at A Maximum differential	with parallel keyed shaft	Code Ø Ø F q max a $M_{ m qmax}$	mm kN mm	Z9/P9 40 40 13.0 20	Z9/P9 40 40 15.3 20	A1/B1 45 45 13.6 20 764	A1/B1 45 45 15.9 20			
Drive shaft Maximum radial force ¹⁾ at distance a (from shaft collar) Maximum torque at a Maximum differentia	with parallel keyed shaft $F_{q \text{ max}}$	Code \emptyset \emptyset $F_{q max}$ $Ap_{q max}$	mm kN mm Nm	Z9/P9 40 40 13.0 20 648 450	29/P9 40 40 15.3 20 764 450	A1/B1 45 45 13.6 20 764 450	A1/B1 45 45 15.9 20 895 450			

Effect of radial force F_q on bearing service life

By selecting a suitable direction of radial force $F_{\rm q}$, the load on the bearings, caused by the internal rotary group forces can be reduced, thus optimizing the bearing service life. Recommended position of mating gear is dependent on the direction of rotation. Examples:

▼ Gear output drive



Notice


- ► The values given are maximum values and do not apply to continuous operation.
- ▶ The permissible axial force in direction $-F_{ax}$ is to be avoided as the service life of the bearing is reduced.
- ► Special requirements apply in the case of belt output drives. Please contact us.

- 1. "Counter-clockwise" rotation, pressure at port B
- 2. "Clockwise" rotation, pressure at port A
- 3. "Bidirectional" rotation

A2FMN size 28, 32, 37, 45 and A2FMM size 23, 28, 32

12

A2FM dimensions, SAE working ports A and B at bottom (11)



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1/2 in	450	0
	Fastening thread A/B	DIN 13	M8 × 1.25; 16 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.


³⁾ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).

⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery)

X = Plugged (in normal operation)

A2FM dimensions, SAE working ports A and B at rear (01)



Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port	SAE J518	1/2 in	450	0
	Fastening thread A/B	DIN 13	M8 × 1.25; 16 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

³⁾ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


 $_{\rm 4)}\,$ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery)

X = Plugged (in normal operation)

SAE working ports A and B at side, opposite (02)

A2FMN sizes 28, 32, 37 and 45 **A2FMM** sizes 23, 28 and 32



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1/2 in	450	0
	Fastening thread A/B	DIN 13	M8 × 1.25; 16 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	O ³⁾

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery)

X = Plugged (in normal operation)

Threaded ports A and B at side, opposite (05)

A2FMN sizes 28, 32, 37 and 45 **A2FMM** sizes 23, 28 and 32



Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B W	Vorking port	DIN 3852 ⁴⁾	M27 × 2; 16 deep	450	0
T ₁ D	Orain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	X ³⁾
T ₂ D	Orain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_{1} or T_{2} must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

Dimensions A2FE, sizes 23 to 45

SAE working ports A and B at bottom (11)

A2FEN sizes 28, 32, 37 and 45 **A2FEM** sizes 23, 28 and 32




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1/2 in	450	0
	Fastening thread A/B	DIN 13	M8 × 1.25; 16 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	O ³⁾

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- $_{\rm 6)}$ O-ring Ø126 × 4 not included in the scope of delivery

SAE working ports A and B at rear (01)

A2FEN sizes 28, 32, 37 and 45 **A2FEM** sizes 23, 28 and 32



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1/2 in	450	0
	Fastening thread A/B	DIN 13	M8 × 1.25; 16 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).

⁴⁾ The countersink may be deeper than specified in the standard.


⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

 $_{6)}$ O-ring Ø126 × 4 not included in the scope of delivery

SAE working ports A and B at side, opposite (02)

A2FEN sizes 28, 32, 37 and 45 **A2FEM** sizes 23, 28 and 32

18




Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port	SAE J518	1/2 in	450	0
	Fastening thread A/B	DIN 13	M8 × 1.25; 16 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	O ³⁾

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- $_{\rm 6)}\,$ O-ring Ø126 × 4 not included in the scope of delivery

Threaded ports A and B at side, opposite (05)

A2FEN sizes 28, 32, 37 and 45 **A2FEM** sizes 23, 28 and 32



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	DIN 3852 ⁴⁾	M27 × 2; 16 deep	450	0
T ₁	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M16 × 1.5; 12 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

³⁾ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)


 $_{6)}\,$ O-ring Ø126 × 4 not included in the scope of delivery

Drive shafts, sizes 23 to 45


▼ Splined shaft DIN 5480, A2FMN, A2FEN: Size 28, 32 A2FMM, A2FEM: Size 23, 28, 32




▼ Splined shaft DIN 5480, A2FMN, A2FEN: Size 28, 32, 37, 45 A2FMM, A2FEM: Size 23, 28, 32, 37



▼ Parallel keyed shaft DIN 6885, A2FMN, A2FEN: Size 28, 32 A2FMM, A2FEM: Size 23, 28, 32



▼ Parallel keyed shaft DIN 6885, A2FMN, A2FEN: Size 28, 32, 37, 45 A2FMM, A2FEM: Size 23, 28, 32, 37




¹⁾ Center bore according to DIN 332 (thread according to DIN 13)

Dimensions A2FM, sizes 45 to 80

SAE working ports A and B at bottom (11)

A2FMM sizes 56, 63 and 80 **A2FMM** sizes 45, 56 and 63 **A2FMH** sizes 45, 56 and 63




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	3/4 in	500	0
	Fastening thread A/B	DIN 13	M10 × 1.5; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_{1} or T_{2} must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

SAE working ports, 1× at side and 1× at bottom⁶⁾ (12)

A2FMN sizes 56, 63 and 80




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 in	350	0
	Fastening thread A/B	DIN 13	M12 × 1.75; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $\ _{3)}$ Depending on installation position, T_{1} or T_{2} must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- 6) Only in combination with check valve (valve design U)

SAE working ports A and B at rear (01)

A2FMN sizes 56, 63 and 80 **A2FMM** sizes 45, 56 and 63 **A2FMH** sizes 45, 56 and 63




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	3/4 in	500	0
	Fastening thread A/B	DIN 13	M10 × 1.5; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

SAE working ports A and B at side, opposite (02)

A2FMN sizes 56, 63 and 80 **A2FMM** sizes 45, 56 and 63 **A2FMH** sizes 45, 56 and 63

24



Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port	SAE J518	3/4 in	500	0
	Fastening thread A/B	DIN 13	M10 × 1.5; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎
	<u> </u>				

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery)

X = Plugged (in normal operation)

Threaded ports A and B at side and at rear (03)

A2FMN sizes 56, 63 and 80 **A2FMM** sizes 45, 56 and 63 **A2FMH** sizes 45, 56 and 63



Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port	DIN 3852	M33 × 2; 18 deep	500	O (1× each)
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3}$ Depending on installation position, T_{1} or T_{2} must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

Dimensions A2FE, sizes 45 to 80

SAE working ports A and B at bottom (11)

A2FEM sizes 56, 63 and 80 **A2FEM** sizes 45, 56 and 63 **A2FEH** sizes 45, 56 and 63




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	3/4 in	500	0
	Fastening thread A/B	DIN 13	M10 × 1.5; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ³⁾

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- $_{\rm 6)}$ O-ring Ø150 × 4 not included in the scope of delivery.

SAE working ports A and B at rear (01)

A2FEM sizes 56, 63 and 80 **A2FEM** sizes 45, 56 and 63 **A2FEH** sizes 45, 56 and 63



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	3/4 in	500	0
	Fastening thread A/B	DIN 13	M10 × 1.5; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ³⁾

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

 $_{\rm 6)}$ O-ring Ø150 × 4 not included in the scope of delivery.

SAE working ports at side, opposite (02)

A2FEN sizes 56, 63 and 80 **A2FEM** sizes 45, 56 and 63 **A2FEH** sizes 45, 56 and 63




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	3/4 in	500	0
	Fastening thread A/B	DIN 13	M10 × 1.5; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- 6) O-ring \emptyset 150 × 4 not included in the scope of delivery.

Threaded ports A and B at side and at rear (03)

A2FEN size 45

A2FEM sizes 56 and 63 **A2FEH** sizes 56 and 63



Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port	DIN3852	M33 × 2; 18 deep	500	O (1× each)
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

³⁾ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)


⁶⁾ O-ring \emptyset 150 × 4 not included in the scope of delivery.

Drive shafts, sizes 45 to 80


▼ Splined shaft DIN 5480, A2FMN, A2FEN: Size 56 A2FMM, A2FEM: Size 45, 56 A2FMH, A2FEH: Size 45




▼ Splined shaft DIN 5480, A2FMN, A2FEN: Size 56, 63, 80 A2FMM, A2FEM: Size 56, 63 A2FMH, A2FEH: Size 56, 63



▼ Parallel keyed shaft DIN 6885, A2FMN, A2FEN: Size 56 A2FMM, A2FEM: Size 45, 56 A2FMH, A2FEH: Size 45, 56



▼ Parallel keyed shaft DIN 6885, A2FMN, A2FEN: Size 56, 63, 80 A2FMM, A2FEM: Size 56, 63 A2FMH, A2FEH: Size 56, 63




¹⁾ Center bore according to DIN 332 (thread according to DIN 13)

Dimensions A2FM, sizes 80 to 107

SAE working ports at bottom (11)

A2FMM sizes 90 and 107 **A2FMM** sizes 80 and 90 **A2FMH** sizes 80 and 90




Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port Fastening thread A/B	SAE J518 DIN 13	1 in M12 × 1.75; 17 deep	500	0
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- $_{5)}$ O = Must be connected (plugged on delivery)
 - X = Plugged (in normal operation)

SAE working ports A and B at rear (01)

A2FMM sizes 90 and 107 **A2FMM** sizes 80 and 90 **A2FMH** sizes 80 and 90




Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port	SAE J518	1 in	500	0
	Fastening thread A/B	DIN 13	M12 × 1.75; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery)
 - X = Plugged (in normal operation)

SAE working ports at side, opposite (02)

A2FMN sizes 90 and 107 **A2FMM** sizes 80 and 90 **A2FMH** sizes 80 and 90



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 in	500	0
	Fastening thread A/B	DIN 13	M12 × 1.75; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).

⁴⁾ The countersink may be deeper than specified in the standard.


⁵⁾ O = Must be connected (plugged on delivery)

X = Plugged (in normal operation)

Dimensions A2FE, sizes 80 to 107

SAE working ports at bottom (11)

A2FEN sizes 90 and 107 **A2FEM** sizes 80 and 90 **A2FEH** sizes 80 and 90




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 in	500	0
	Fastening thread A/B	DIN 13	M12 × 1.75; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- $_{\mbox{\scriptsize 4)}}$ The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- 6) O-ring \emptyset 180 × 4 not included in the scope of delivery.

SAE working ports A and B at rear (01)

A2FEN sizes 90 and 107 **A2FEM** sizes 80 and 90 **A2FEH** sizes 80 and 90



A, B Working por		SAE J518	1 in	500	0
Fastening th	read A/B	DIN 13	M12 × 1.75; 17 deep		
T ₁ Drain port		DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ₃₎
T ₂ Drain port		DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ³⁾

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

 $_{6)}$ O-ring Ø180 × 4 not included in the scope of delivery.

SAE working ports at side, opposite (02)

A2FEN sizes 90 and 107 **A2FEM** sizes 80 and 90 **A2FEH** sizes 80 and 90




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 in	500	0
	Fastening thread A/B	DIN 13	M12 × 1.75; 17 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎


- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- 6) O-ring \emptyset 180 × 4 not included in the scope of delivery.

Drive shafts, sizes 80 to 107


▼ Splined shaft DIN 5480, A2FMM, A2FEM: Size 80




▼ Splined shaft DIN 5480, A2FMN, A2FEN: Size 90, 107 A2FMM, A2FEM: Size 80, 90 A2FMH, A2FEH: Size 80, 90



▼ Parallel keyed shaft DIN 6885, A2FMM, A2FEM: Size 80 A2FMH, A2FEH: Size 80




▼ Parallel keyed shaft DIN 6885, A2FMN, A2FEN: Size 90, 107 A2FMM, A2FEM: Size 80, 90 A2FMH, A2FEH: Size 80, 90



Dimensions A2FM, sizes 107 and 125

SAE working ports at bottom (11)

A2FMM sizes 107 and 125 **A2FMH** sizes 107 and 125




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	500	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ³⁾

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- $_{\mbox{\scriptsize 4)}}$ The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery)
 - X = Plugged (in normal operation)

SAE working ports at rear (01)

A2FMM sizes 107 and 125 **A2FMH** sizes 107 and 125



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	500	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ³⁾

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).

⁴⁾ The countersink may be deeper than specified in the standard.


⁵⁾ O = Must be connected (plugged on delivery)

X = Plugged (in normal operation)

SAE working ports at side, opposite (02)

A2FMM sizes 107 and 125 **A2FMH** sizes 107 and 125

40




Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	500	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- 4) The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery)
 - X = Plugged (in normal operation)

Dimensions A2FE, sizes 107 and 125

SAE working ports at bottom (11)

A2FEM sizes 107 and 125 **A2FEH** sizes 107 and 125




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port Fastening thread A/B	SAE J518 DIN 13	1 1/4 in M14 × 2; 23 deep	500	0
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3}$) Depending on installation position, T_{1} or T_{2} must be connected (see also installation instructions on page 62).
- $_{\rm 4)}\,$ The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- $_{6)}$ O-ring Ø192 × 4 not included in the scope of delivery.

SAE working ports at rear (01)

A2FEM sizes 107 and 125 **A2FEH** sizes 107 and 125

42




Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	500	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ₃₎

- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- $_{\rm 4)}\,$ The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- $_{6)}$ O-ring Ø192 × 4 not included in the scope of delivery.

SAE working ports at side, opposite (02)

A2FEM sizes 107 and 125 **A2FEH** sizes 107 and 125




Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	500	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M18 × 1.5; 12 deep	3	O ³⁾


- 1) To shaft collar
- 2) Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.
- $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).
- $_{\rm 4)}\,$ The countersink may be deeper than specified in the standard.
- 5) O = Must be connected (plugged on delivery)
 - X = Plugged (in normal operation)
- $_{6)}$ O-ring Ø192 × 4 not included in the scope of delivery.

Drive shafts, sizes 107 and 125


▼ Splined shaft DIN 5480, A2FMM, A2FEM: Size 107 A2FMH, A2FEH: Size 107




▼ Splined shaft DIN 5480, A2FMN, A2FEN: Size 125 A2FMM, A2FEM: Size 107, 125 A2FMH, A2FEH: Size 107, 125



▼ Parallel keyed shaft DIN 6885, A2FMM, A2FEM: Size 107 A2FMH, A2FEH: Size 107



▼ Parallel keyed shaft DIN 6885, A2FMN, A2FEN: Size 125 A2FMM, A2FEM: Size 107, 125 A2FMH, A2FEH: Size 107, 125




¹⁾ Center bore according to DIN 332 (thread according to DIN 13)

Dimensions A2FM, sizes 160 and 180

SAE working ports at bottom (11)

A2FMM sizes 160 and 180



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	450	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	X ₃)
T ₂	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

³⁾ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).

⁴⁾ The countersink may be deeper than specified in the standard.


⁵⁾ O = Must be connected (plugged on delivery)

X = Plugged (in normal operation)

SAE working ports at rear (01)

A2FMM sizes 160 and 180

46



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	450	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	X ³⁾
T ₂	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery)

X = Plugged (in normal operation)

SAE working ports at side, opposite (02)

A2FMM sizes 160 and 180



Ports		Standard	Size	p_{max} [bar] $^{2)}$	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	450	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

³⁾ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).

⁴⁾ The countersink may be deeper than specified in the standard.


⁵⁾ O = Must be connected (plugged on delivery)

X = Plugged (in normal operation)

Dimensions A2FE, sizes 160 and 180

SAE working ports at bottom (11)

A2FEM sizes 160 and 180



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port Fastening thread A/B	SAE J518 DIN 13	1 1/4 in M14 × 2; 23 deep	450	0
T ₁	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

⁶⁾ O-ring \emptyset 192 × 4 not included in the scope of delivery.

SAE working ports at rear (01)

A2FEM sizes 160 and 180



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	450	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

³⁾ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

 $_{6)}$ O-ring Ø192 × 4 not included in the scope of delivery.

SAE working ports at side (02)

A2FEM sizes 160 and 180



Ports		Standard	Size	p _{max} [bar] ²⁾	State ⁵⁾
A, B	Working port	SAE J518	1 1/4 in	450	0
	Fastening thread A/B	DIN 13	M14 × 2; 23 deep		
T ₁	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	X ₃₎
T ₂	Drain port	DIN 3852 ⁴⁾	M22 × 1.5; 14 deep	3	O ₃₎

¹⁾ To shaft collar

²⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

 $_{3)}$ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).


⁴⁾ The countersink may be deeper than specified in the standard.

⁵⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)


 $_{6)}$ O-ring Ø192 × 4 not included in the scope of delivery.

Drive shafts, sizes 160 and 180


▼ Splined shaft DIN 5480, A2FMN, A2FEN: Size 160 A2FMM, A2FEM: Size 160 A2FMH, A2FEH: Size 160




▼ Splined shaft DIN 5480, A2FMN, A2FEN: Size 160, 180 A2FMM, A2FEM: Size 160, 180 A2FMH, A2FEH: Size 160, 180



▼ Parallel keyed shaft DIN 6885, A2FMN, A2FEN: Size 160 A2FMM, A2FEM: Size 160 A2FMH, A2FEH: Size 160



▼ Parallel keyed shaft DIN 6885, A2FMN, A2FEN: Size 160, 180 A2FMM, A2FEM: Size 160, 180 A2FMH, A2FEH: Size 160, 180



¹⁾ Center bore according to DIN 332 (thread according to DIN 13)


Flushing and boost-pressure valve, integrated

The flushing and boost-pressure valve is used to remove heat from the hydraulic circuit.


In a closed circuit, it is used for flushing the housing and safeguarding the minimum boost pressure.

Hydraulic fluid is directed from the respective low-pressure side into the motor housing. This is then fed into the reservoir, together with the leakage. In the closed circuit, the removed hydraulic fluid must be replaced by cooled hydraulic fluid supplied by the boost pump.

▼ Circuit diagram, sizes 23 to 107(N)



▼ Circuit diagram, sizes 107 to 180



Cracking pressure of pressure retention valve

(observe when setting the primary valve)

► Size 23 to 180, fixed setting 16 bar

Switching pressure of flushing spool

► Sizes 23 to 107(N)

 $\Delta p = 8 \pm 1 \text{ bar}$

▶ Sizes 107 to 180

 $\Delta p = 17.5 \pm 1.5 \text{ bar}$

Flushing flow

Orifices can be used to adjust the flushing flows as required. The following parameters are based on: $\Delta p_{\rm ND} = p_{\rm ND} - p_{\rm G} = 25$ bar and v = 10 mm²/s ($p_{\rm ND} = 1$) low pressure, $p_{\rm G} = 1$ 0 case pressure)

Size	Code	Orifice ø [mm]	Flushing flow $q_{\scriptscriptstyle ee}$ [l/min]
23, 28, 32, 37, 45, 56,	С	1.0	2.6
63, 80, 90, 107(N)	D	1.3	4
	E	1.5	6
	F	1.7	7.4
	G	1.8	8.5
	Н	2.0	10
	I	2.3	11.4
	J	3	12.5
107, 125, 160, 180	D	1.2	4
	E	1.4	6
	G	1.8	8.5
	Н	2.0	10
	J	2.3	12.5
	K	2.5	15
	L	2.8	18
	М	3.1	21
	N	3.8	27
	0	4.0	31
	Р	5.0	37

Pressure relief valve

The pressure relief valves VMR. and VBB (see data sheets 18318-42, 18318-43, 18319-14 and 18319-15) protect the hydraulic motor from overloading. As soon as the set cracking pressure is reached, the hydraulic fluid flows from the high-pressure side to the low-pressure side.

The pressure relief valves are only available in conjunction with the working ports 07, 08 and 09 (for the counterbalance valve for mounting to working ports 07 and 08, see next page).


Cracking pressure setting range 50 to 420 bar

For versions "with pressure sequencing stage" 09S, a higher pressure setting can be implemented by connecting an external pilot pressure of 25 up to 30 bar at port $P_{\rm St}$.


When ordering, state in plain text:

- Cracking pressure of pressure relief valve
- Cracking pressure with pilot pressure applied to P_{St} (only with version 09S)

▼ Circuit diagram version without pressure sequencing stage 09R



▼ Circuit diagram version with pressure sequencing stage 09S




Permissible inlet flow or pressure for version with pressure relief valves

	Without valve		Limited values	when using press	ure relief valves (DBV)
Motor					
NG	p _{nom} /p _{max} [bar]	q _{V max} [l/min]	$p_{\text{nom}}/p_{\text{max}}$ [bar]	$oldsymbol{q}_ee$ [l/min]	Code
45	400/450	225	350/420	240	09R, 09S
56		280			
63		315			
80		360			
90		405			
107		427		400	
125		500			

DBV = Pressure relief valve

Dimensions A2FM




Size		D3	D14	D16	D17	D18	D19	D20	D23	D24	D35	D36	D37	D38	D39	D40
45, 56, 63	VMR 2 /VBB 2	206	120	74	22	114	70	113	105	163	32.5	182	75	137	130	23.8
80, 90	VMR 2 /VBB 2	225.5	128	73	21.3	131.5	79	137.5	110	184.5	31.5	203	80	127	145	27.8
107, 125	VMR 3 /VBB 3	258	130	73.5	21	147.5	98	130	110	201	32	228	80	127	144	31.8

Size		D41	D42	D43	D44	D46	A, B	S ₁	M _A , M _B	\mathbf{P}_{St}	T ₁ , T ₂
45, 56, 63	VMR2/VBB2	50.8	Ø19	163	55.5	75	3/4 in	M22 × 1.5; 14 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
80, 90	VMR2/VBB2	57.2	Ø25	184.5	63	75	1 in	M26 × 1.5; 16 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
107, 125	VMR 3 /VBB 3	66.7	Ø32	201	74	84	1 1/4 in	M26 × 1.5; 16 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep

Ports		Standard	Size	p _{max} [bar] ¹⁾	State ³⁾
A, B	Working port	SAE J518	See table above	420	0
S ₁	Boost port (for working ports 09R/09S only)	DIN 3852 ²⁾	See table above	5	0
M _A , M _B	Measuring port pressure A/B	DIN 3852 ²⁾	See table above	420	Χ
P _{St}	Pilot pressure port (for working ports 09S only)	DIN ISO 228	See table above	30	0
T ₁ , T ₂	Drain port	DIN 3852 ²⁾	See table above	3	X, O ⁴⁾

- Depending on the application, momentary pressure peaks can occur.
 Keep this in mind when selecting measuring devices and fittings.
- 2) The countersink may be deeper than specified in the standard.
- 3) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- 4) Depending on installation position, T₁ or T₂ must be connected (see also installation instructions on page 62).

Dimensions A2FE



Size		D3	D14	D16	D17	D18	D19	D20	D23	D24	D35	D36	D37	D38	D39	D40
45, 56, 63	VMR 2 /VBB 2	145	120	74	22	54	70	53	105	103	32.5	182	75	137	130	23.8
80, 90	VMR 2 /VBB 2	147.5	128	73	21.3	53.5	79	59.5	110	106.5	31.5	203	80	127	145	27.8
107, 125	VMR 3 /VBB 3	175.5	130	73.5	21	65	98	47.5	110	118.5	32	145.5	80	127	144	31.8

Size		D41	D42	D43	D44	D46	A, B	S ₁	M _A , M _B	\mathbf{P}_{St}	T ₁ , T ₂
45, 56, 63	VMR 2 /VBB 2	50.8	Ø19	103	55.5	75	3/4 in	M22 × 1.5; 14 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
80, 90	VMR 2 /VBB 2	57.2	Ø25	106.5	63	75	1 in	M26 × 1.5; 16 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
107, 125	VMR 3 /VBB 3	66.7	Ø32	118.5	74	84	1 1/4 in	M26 × 1.5; 16 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep

Ports		Standard	Size	$m{p}_{\sf max}$ [bar] $^{1)}$	State ³⁾
A, B	Working port	SAE J518	See table above	420	0
S ₁	Boost port (for working ports 09R/09S only)	DIN 3852 ²⁾	See table above	5	0
M_A , M_B	Measuring port pressure A/B	DIN 3852 ²⁾	See table above	420	X
P _{St}	Pilot pressure port (for working ports 09S only)	DIN ISO 228	See table above	30	0
T ₁ , T ₂	Drain port	DIN 3852 ²⁾	See table above	3	X, O ⁴⁾

- Depending on the application, momentary pressure peaks can occur.
 Keep this in mind when selecting measuring devices and fittings.
- 2) The countersink may be deeper than specified in the standard.
- 3) O = Must be connected (plugged on delivery) X = Plugged (in normal operation)
- Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).

Counterbalance valve BVD/BVE

Function

Counterbalance valves for travel drives and winches should reduce the danger of overspeed and cavitation of axial piston motors in open circuits. Cavitation occurs if, during braking, when going downhill or during the load-lowering process, the motor speed is greater than it should be for the given inlet flow and thus the supply pressure falls sharply.

If the supply pressure falls below the level specified for the relevant counterbalance valve, the counterbalance spool moves into the closed position. The cross-sectional area of the counterbalance valve return passage is then reduced, creating a bottleneck in the return flow of the hydraulic fluid. The pressure increases and brakes the motor until the rotational speed of the motor reaches the specified value for the given inlet flow.

Notice

- ▶ BVD available for sizes 45 to 125 and BVE available for sizes 107 and 125.
- ► The counterbalance valve must be ordered additionally. We recommend ordering the counterbalance valve and the motor as a set.

Order example:

A2FMM90/70NWVN4Z9**07W**000 + BVD20F27S/41B-V03K16D0400S12

- ► The counterbalance valve does not replace the mechanical service brake and holding brake.
- ► Observe the detailed notes on the BVD counterbalance valve contained in data sheet 95522 and BVE in data sheet 95526!
- ► For the design of the brake release valve, we must know the following data for the mechanical holding brake:
 - the cracking pressure
 - the volume of the brake spool between minimum stroke (brake closed) and maximum stroke (brake released with 21 bar)
 - the required closing time for a warm device (oil viscosity approx. 15 mm²/s)

Permissible inlet flow or pressure in case of version with counterbalance valves

	Without valve		Limited values who	en using BVD/BVE		
Motor			BVD/BVE			
NG	p _{nom} /p _{max} [bar]	q _{∨ max} [l/min]	NG	$p_{\text{nom}}/p_{\text{max}}$ [bar]	$oldsymbol{q}_{ee}^{(1)}$ [l/min]	Code
45	400/450	225	20	350/420	220	07W
56		280				
63		315				
80		360				
90		405				
107		427				
125		500				
107		427	25		320	08W
125		500				

BVD = Counterbalance valve, double-acting

BVE = Counterbalance valve, single-acting

¹⁾ Restriction of input flow with counterbalance valve


Counterbalance valve for travel drives BVD..F

Application option

► Travel drive for wheeled excavators

Example circuit diagram for travel drive in wheeled excavators

A2FMM90/70NWVN4Z907W000 + BVD20F27S/41B-V03K16D0400S12




Counterbalance valve for winch drives BVD..W and BVE

Application possibilities


- ► Winch drives in cranes (BVD and BVE)
- ► Track drive in crawler excavators (BVD)

Example circuit diagram for winch drive in cranes

A2FMM90/70NWVN4Z907W000 + BVD20W27L/41B-V01K00D0600S00



Dimensions A2FM



Size		D3	D14	D17	D18	D19	D20	D23	D24	D32	D33	D34	D35	D43	D45	D46
45, 56, 63	BVD 20 17	205	193	22	114	70	113	105	163	140.5	98	139	32.5	163	68	75
80, 90	BVD 20 27	226.5	201	21.3	131.5	79	137.5	110	184.5	140.5	98	139	31.5	184.5	95	75
107, 125	BVD 20 28	258	203	21	147.5	98	130	110	201	140.5	98	139	32	201	106	84
	BVD 25 38	258	220	21	147.5	98	130	110	201	158	120.5	175	32	201	94	84
	BVE 25 38	258	221	21	147.5	98	130	110	201	167	137	214	32	201	85	84

Size		A, B	S	Br, G _{ext}	M _A , M _B	\mathbf{P}_{St}	T ₁ , T ₂
45, 56, 63	BVD 20 17	3/4 in	M22 × 1.5; 14 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
80, 90	BVD 20 27	1 in	M22 × 1.5; 14 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
107, 125	BVD 20 28	1 in	M22 × 1.5; 14 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
	BVD 25 38	1 1/4 in	M27 × 2; 16 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
	BVE 25 38	1 1/4 in	M27 × 2; 16 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep

Ports		Version	Standard	Size	p _{max} [bar] ¹⁾	State ³⁾
A, B	Working port	,	SAE J518	See table above	420	0
S	Boost port		DIN 3852 ²⁾	See table above	30	X
Br	Brake release port, reduced high pressure	L	DIN 3852 ²⁾	See table above	30	0
G _{ext}	Brake release port, high pressure	S	DIN 3852 ²⁾	See table above	420	Χ
M _A , M _B	Measuring port pressure A/B		DIN 3852 ²⁾	See table above	420	X
T ₁ , T ₂	Drain port		DIN 3852 ²⁾	See table above	3	X, O ⁴⁾


¹⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

²⁾ The countersink may be deeper than specified in the standard.

³⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)

⁴⁾ Depending on installation position, T_1 or T_2 must be connected (see also installation instructions on page 62).

Dimensions A2FE



Size		D3	D14	D17	D18	D19	D20	D23	D24	D32	D33	D34	D35	D43	D44	D45	D46
45, 56, 63	BVD 20 17	205	193	22	54	70	53	105	103	140.5	98	139	32.5	103	55.5	57.5	75
80, 90	BVD 20 27	226.5	201	21.3	53.5	79	59.5	110	106.5	140.5	98	139	31.5	106.5	63	61	75
107, 125	BVD 20 28	213	203	21	65	98	110	47.5	118.5	140.5	98	139	32	118.5	74	74	84
	BVD 25 38	225	220	21	65	98	110	47.5	118.5	158	120.5	175	32	118.5	74	67	84
	BVE 25 38	225	221	21	65	98	110	47.5	118.5	167	137	214	32	118.5	85	67	84

Size		A, B	S	Br, G _{ext}	M _A , M _B	\mathbf{P}_{St}	T ₁ , T ₂
45, 56, 63	BVD 20 17	3/4 in	M22 × 1.5; 14 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
80, 90	BVD 20 27	1 in	M22 × 1.5; 14 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
107, 125	BVD 20 28	1 in	M22 × 1.5; 14 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
	BVD 25 38	1 1/4 in	M27 × 2; 16 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep
	BVE 25 38	1 1/4 in	M27 × 2; 16 deep	M12 × 1.5; 12.5 deep	M12 × 1.5; 12 deep	G 1/4	M18 × 1.5; 12 deep

Ports		Version	Standard	Size	p_{max} [bar] $^{1)}$	State ³⁾
A, B	Working port		SAE J518	See table above	420	0
S	Boost port		DIN 3852 ²⁾	See table above	30	Χ
Br	Brake release port, reduced high pressure	L	DIN 3852 ²⁾	See table above	30	0
G _{ext}	Brake release port, high pressure	S	DIN 3852 ²⁾	See table above	420	X
M _A , M _B	Measuring port pressure A/B		DIN 3852 ²⁾	See table above	420	Χ
T ₁ , T ₂	Drain port		DIN 3852 ²⁾	See table above	3	X, O ⁴⁾

Mounting the counterbalance valve

When delivered, the counterbalance valve is fastened to the motor with two tacking screws (transport lock). The tacking screws may not be removed while mounting the working lines. If the counterbalance valve and motor are delivered separately, the counterbalance valve must first be fastened to the motor port plate using the provided tacking screws. The counterbalance valve is finally mounted to the motor by fitting the SAE flange. The screws to be used and the instructions for mounting can be found in the instruction manual.

¹⁾ Depending on the application, momentary pressure peaks can occur. Keep this in mind when selecting measuring devices and fittings.

²⁾ The countersink may be deeper than specified in the standard.

³⁾ O = Must be connected (plugged on delivery) X = Plugged (in normal operation)


⁴⁾ Depending on installation position, T₁ or T₂ must be connected (see also installation instructions on page 62).

Port plate with integrated check valve (U)

Function

The motor with defined direction of rotation is supplied via the inlet port (**A** or **B**). As soon as the inlet is disabled and the driven component (e.g. fan wheel) is running due to its own flywheel mass, the motor operates as pump. Since the turning motor is no longer supplied by the inlet, it will get the required hydraulic fluid via the check valve from the return line.

▼ Circuit diagram



Flow direction

Direction of rotation, viewed on drive shaft				
clockwise	counter-clockwise			
A to B	B to A			

Speed sensor

The motor speed can be recorded by the mounted DST or DSA speed sensor. The frequency signal required is generated by splines at the rotary group.

In addition to the rotational speed, the DST or DSA sensor detects the direction of rotation of the motor and the temperature at the installation location.

The type code, technical data, dimensions and details of the connector, as well as safety instructions about the sensor, can be found in the relevant data sheet DST (95131) or DSA (95126).

The sensor is mounted on the port provided for this purpose with a mounting bolt. On deliveries without sensor, the port is plugged with a pressure-resistant cover. We recommend ordering the A2F fixed motor complete with mounted sensor.


The following versions are available:

- ▶ with mounted speed sensor DSA/20: Code C
- ▶ with mounted speed sensor DST: Code E
- ▶ for speed sensor DST or DSA/20 (delivery without sensor): Code W


Size											
	A2F.N	28, 32, 3	7, 45	56, 63, 8	0	90, 107		-		-	
	A2F.M	23, 28, 3	2	45, 56, 6	3	80, 90		107, 125		160, 180	
	A2F.H	23, 28, 3	2	45, 56, 6	3	80, 90		107, 125		-	
Number	of teeth	38		47		53		59		67	'
Dimensio	ons	A2FM	A2FE	A2FM	A2FE	A2FM	A2FE	A2FM	A2FE	A2FM	A2FE
	А	90.9	27.1	96.6	35.6	108.4	30.2	113.6	40.1	124.5	41.7
	В	44.5	44.5	54.6	54.6	58.8	58.8	62.2	62.2	69.0	69.0
	С	2	2	2	2	2	2	4	4	0	0

Dimensions

▼ A2FM with mounted speed sensor DST (code E)



▼ A2FE with mounted speed sensor DST (code E)



Installation instructions

General

running.

The axial piston unit must be filled with hydraulic fluid and air bled during commissioning and operation.

This must also be observed following a longer standstill as the axial piston unit may empty via the hydraulic lines.

Particularly in the installation position "drive shaft upwards", filling and air bleeding must be carried out completely as there is, for example, a danger of dry

The leakage in the housing area must be directed to the reservoir via the highest drain port (T_1, T_2) .

If a shared drain line is used for several units, make sure that the respective case pressure in each unit is not exceeded. The shared drain line must be dimensioned to ensure that the maximum permissible case pressure of all connected units is not exceeded in any operating conditions, particularly at cold start. If this is not possible, separate drain line must be laid, if necessary.

To prevent the transmission of structure-borne noise, use elastic elements to decouple all connecting lines from all vibration-capable components

(e.g. reservoir, frame parts).

Under all operating conditions, the drain line must flow into the reservoir below the minimum fluid level.

Notice

- ► For A2FM with installation position "shaft upwards" an air bleed port **R** is required (specify in plain text when ordering, special version).
- ► For A2FE the "shaft upwards" installation position is not permissible.

Key	
F	Filling / air bleeding
R	Air bleed port (special version)
T ₁ , T ₂	Drain port
h _{t min}	Minimum required immersion depth (200 mm)
h _{min}	Minimum required distance to reservoir bottom (100 mm)

Installation position

See the following examples **1** to **8**.

Further installation positions are available upon request.

Recommended installation position: **1** and **2**

Below-reservoir installation (standard)

Below-reservoir installation means that the axial piston unit is installed outside of the reservoir below the minimum fluid level.

Installation position	Air bleed	Filling
T ₁	-	T ₁ (F)
F h _{t min} h _{min} T ₂	_	T ₂ (F)
T ₁	-	T ₁ (F)
4 ¹⁾ F	R	T ₂ (F)

¹⁾ only possible for A2FM with special version

Above-reservoir installation

Above-reservoir installation means that the axial piston unit is installed above the minimum fluid level of the reservoir.

Recommendation for installation position **8** (drive shaft up): A check valve in the drain line (cracking pressure 0.5 bar) can prevent draining of the housing area.

Install	ation position	Air bleed	Filling
5	h _{t min}	F	T ₁ (F)
6	h _{t min}	F	T ₂ (F)
7	F T ₁	F	T ₁ (F)
8 1)	T ₂ Property of the property	R	T ₂ (F)

Notice

Port ${\bf F}$ is part of the external piping and must be provided on the customer side to simplify the filling and air bleeding.

Project planning notes

- ► The motor A2FM/A2FE is designed to be used in open and closed circuits.
- ► The project planning, installation and commissioning of the axial piston unit requires the involvement of skilled personnel.
- ▶ Before using the axial piston unit, please read the corresponding instruction manual completely and thoroughly. If necessary, this can be requested from Bosch Rexroth.
- ► Before finalizing your design, please request a binding installation drawing.
- ► The specified data and notices contained herein must be observed.
- ▶ Preservation: Our axial piston units are supplied as standard with preservation protection for a maximum of 12 months. If longer preservation protection is required (maximum 24 months), please specify this in plain text when placing your order. The preservation periods apply for optimal storage conditions, which can be found in data sheet 90312 or in the instruction manual.
- ► Not all versions of the product are approved for use in a safety function according to ISO 13849.

 Please consult the responsible contact person at Bosch Rexroth if you require reliability parameters (e.g. MTTF_D) for functional safety.
- ► Be sure to add a pressure relief valve to the hydraulic system.
- ▶ Please note that a hydraulic system is an oscillating system. This can lead, for example, to the stimulation the natural frequency within the hydraulic system during operation at constant rotational speed over a long period of time. The frequency of the motor to be observed is 7 times the rotational speed frequency. This can be prevented, for example, with suitably designed hydraulic lines.
- ▶ Please note the details regarding the tightening torques of port threads and other threaded joints in the instruction manual.

- ► The ports and fastening threads are designed for the p_{max} permissible pressures of the respective ports, see the port tables. The machine or system manufacturer must ensure that the connecting elements and lines correspond to the specified application conditions (pressure, flow, hydraulic fluid, temperature) with the necessary safety factors.
- ► The service ports and function ports are only intended to accommodate hydraulic lines.
- ► Please note that the series control of motors and the operation under summation pressure affect the efficiency of the units.

Safety instructions

- During and shortly after operation, there is a risk of getting burnt on the axial piston unit.
 Take the appropriate safety measures (e.g. by wearing protective clothing).
- ▶ Moving parts in control equipment (e.g. valve spools) can, under certain circumstances, get stuck in position as a result of contamination (e.g. contaminated hydraulic fluid, abrasion, or residual dirt from components). As a result, the hydraulic fluid flow and the build-up of torque in the axial piston unit can no longer respond correctly to the operator's specifications. Even the use of various filter elements (external or internal flow filtration) will not rule out a fault but merely reduce the risk. The machine/system manufacturer must test whether remedial measures are needed on the machine for the application concerned in order to bring the driven consumer into a safe position (e.g. safe stop) and ensure any measures are properly implemented.
- Moving parts in high-pressure relief valves may in certain circumstances become stuck in an undefined position due to contamination (e.g. impure hydraulic fluid). This can result in restriction or loss of load-holding functions in lifting winches.
 - The machine/system manufacturer must check whether additional measures are required on the machine for the relevant application in order to keep the load in a safe position and ensure they are properly implemented.